



OMNILINER 50 CT P1968 SBL HE 940 DIM5



31955 9405 W

AVAILABLE IN

ALU ANODIZED 31955 9405 ANO

BLACK 31955 9405 B

WHITE 31955 9405 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	0
ADJUSTABILITY	non adjustable
INFORMATION	INCL.DIMMABLE LED POWER SUPPLY (DALI-2 standard) INCL.48V TRACK 100W INCL.2 x CABLE SUSPENSION SINGLE AUTO. 3,0m INCL.1 x CABLE 5 x 0.75mm ² INCL.CABLE BASE

Electrical info

ELECTRICAL	220-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	D

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 33,4W / CRI>90 (R9: 50) / 4000K / 5702lm
TM-30 VALUES	Rf: 90 / Rg: 101
SDCM	SDCM3
RISKGROUP	RG1
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	5702lm // 33,4W // 171lm/W
LED TECHNICS (LUMINAIRE)	4608lm // 38,4W // 120lm/W


Requirements

SPY FOR OMNILINER TRACK

For detailed installation instructions, please consult the manual : [31955_XXX5_HAND.pdf](#)

FINISH YOUR SPECIFICATION


LED modules

	<u>31150 9305 B</u> OML50 CT - SPY 39 FOCUS 930 DIM5 B ☐
	<u>31150 9305 BRA</u> OML50 CT - SPY 39 FOCUS 930 DIM5 BRA ☐
	<u>31150 9305 BRAT</u> OML50 CT - SPY 39 FOCUS 930 DIM5 BRAT ☐
	<u>31150 9305 BRCU</u> OML50 CT - SPY 39 FOCUS 930 DIM5 BRCU ☐
	<u>31150 9305 BRG</u> OML50 CT - SPY 39 FOCUS 930 DIM5 BRG ☐
	<u>31150 9305 BROB</u> OML50 CT - SPY 39 FOCUS 930 DIM5 BROB ☐
	<u>31150 9305 FBR</u> OML50 CT - SPY 39 FOCUS 930 DIM5 FBR ☐
	<u>31150 9305 FG</u> OML50 CT - SPY 39 FOCUS 930 DIM5 FG ☐
	<u>31150 9305 GC</u> OML50 CT - SPY 39 FOCUS 930 DIM5 GC ☐
	<u>31150 9305 W</u> OML50 CT - SPY 39 FOCUS 930 DIM5 W ☐
	<u>31150 9405 B</u> OML50 CT - SPY 39 FOCUS 940 DIM5 B ☐
	<u>31150 9405 BRA</u> OML50 CT - SPY 39 FOCUS 940 DIM5 BRA ☐
	<u>31150 9405 BRAT</u> OML50 CT - SPY 39 FOCUS 940 DIM5 BRAT ☐
	<u>31150 9405 BRCU</u> OML50 CT - SPY 39 FOCUS 940 DIM5 BRCU ☐
	<u>31150 9405 BRG</u> OML50 CT - SPY 39 FOCUS 940 DIM5 BRG ☐
	<u>31150 9405 BROB</u> OML50 CT - SPY 39 FOCUS 940 DIM5 BROB ☐

DELTALIGHT

OMNILINER 50 CT P1968 SBL HE 940 DIM5

31955 9405 W

	<u>31150 9405 FBR</u>	OML50 CT - SPY 39 FOCUS 940 DIM5 FBR	☐
	<u>31150 9405 FG</u>	OML50 CT - SPY 39 FOCUS 940 DIM5 FG	☐
	<u>31150 9405 GC</u>	OML50 CT - SPY 39 FOCUS 940 DIM5 GC	☐
	<u>31150 9405 W</u>	OML50 CT - SPY 39 FOCUS 940 DIM5 W	☐
	<u>31151 9325 B</u>	OML50 CT - SPY 39 93020 DIM5 B	☐
	 Dimtype: DALI		
	<u>31151 9325 BRA</u>	OML50 CT - SPY 39 93020 DIM5 BRA	☐
	<u>31151 9325 BRAT</u>	OML50 CT - SPY 39 93020 DIM5 BRAT	☐
	<u>31151 9325 BRCU</u>	OML50 CT - SPY 39 93020 DIM5 BRCU	☐
	<u>31151 9325 BRG</u>	OML50 CT - SPY 39 93020 DIM5 BRG	☐
	<u>31151 9325 BROB</u>	OML50 CT - SPY 39 93020 DIM5 BROB	☐
	<u>31151 9325 FBR</u>	OML50 CT - SPY 39 93020 DIM5 FBR	☐
	<u>31151 9325 FG</u>	OML50 CT - SPY 39 93020 DIM5 FG	☐
	<u>31151 9325 GC</u>	OML50 CT - SPY 39 93020 DIM5 GC	☐
	<u>31151 9325 W</u>	OML50 CT - SPY 39 93020 DIM5 W	☐
	<u>31151 9335 B</u>	OML50 CT - SPY 39 93040 DIM5 B	☐
	<u>31151 9335 BRA</u>	OML50 CT - SPY 39 93040 DIM5 BRA	☐
	<u>31151 9335 BRAT</u>	OML50 CT - SPY 39 93040 DIM5 BRAT	☐
	<u>31151 9335 BRCU</u>	OML50 CT - SPY 39 93040 DIM5 BRCU	☐

DELTALIGHT

OMNILINER 50 CT P1968 SBL HE 940 DIM5


31955 9405 W

<u>31151 9335 BRC</u>	OML50 CT - SPY 39 93040 DIM5 BRC	☐
<u>31151 9335 BROB</u>	OML50 CT - SPY 39 93040 DIM5 BROB	☐
<u>31151 9335 FBR</u>	OML50 CT - SPY 39 93040 DIM5 FBR	☐
<u>31151 9335 FG</u>	OML50 CT - SPY 39 93040 DIM5 FG	☐
<u>31151 9335 GC</u>	OML50 CT - SPY 39 93040 DIM5 GC	☐
<u>31151 9335 W</u>	OML50 CT - SPY 39 93040 DIM5 W	☐
<u>31151 9425 B</u>	OML50 CT - SPY 39 94020 DIM5 B	☐
<u>31151 9425 BRA</u>	OML50 CT - SPY 39 94020 DIM5 BRA	☐
<u>31151 9425 BRAT</u>	OML50 CT - SPY 39 94020 DIM5 BRAT	☐
<u>31151 9425 BRCU</u>	OML50 CT - SPY 39 94020 DIM5 BRCU	☐
<u>31151 9425 BRC</u>	OML50 CT - SPY 39 94020 DIM5 BRC	☐
<u>31151 9425 BROB</u>	OML50 CT - SPY 39 94020 DIM5 BROB	☐
<u>31151 9425 FBR</u>	OML50 CT - SPY 39 94020 DIM5 FBR	☐
<u>31151 9425 FG</u>	OML50 CT - SPY 39 94020 DIM5 FG	☐
<u>31151 9425 GC</u>	OML50 CT - SPY 39 94020 DIM5 GC	☐
<u>31151 9425 W</u>	OML50 CT - SPY 39 94020 DIM5 W	☐
<u>31151 9435 B</u>	OML50 CT - SPY 39 94040 DIM5 B	☐
<u>31151 9435 BRA</u>	OML50 CT - SPY 39 94040 DIM5 BRA	☐
<u>31151 9435 BRAT</u>	OML50 CT - SPY 39 94040 DIM5 BRAT	☐

DELTA LIGHT

OMNILINER 50 CT P1968 SBL HE 940 DIM5

31955 9405 W

	<u>31151 9435 BRCU</u>	OML50 CT - SPY 39 94040 DIM5 BRCU	☐
	<u>31151 9435 BRG</u>	OML50 CT - SPY 39 94040 DIM5 BRG	☐
	<u>31151 9435 BROB</u>	OML50 CT - SPY 39 94040 DIM5 BROB	☐
	<u>31151 9435 FBR</u>	OML50 CT - SPY 39 94040 DIM5 FBR	☐
	<u>31151 9435 FG</u>	OML50 CT - SPY 39 94040 DIM5 FG	☐
	<u>31151 9435 GC</u>	OML50 CT - SPY 39 94040 DIM5 GC	☐
	<u>31151 9435 W</u>	OML50 CT - SPY 39 94040 DIM5 W	☐
	<u>31152 9315 B</u>	OML50 CT - SPY 66 93018 DIM5 B	☐
	<u>31152 9315 W</u>	OML50 CT - SPY 66 93018 DIM5 W	☐
	<u>31152 9325 B</u>	OML50 CT - SPY 66 93030 DIM5 B	☐
	<u>31152 9325 W</u>	OML50 CT - SPY 66 93030 DIM5 W	☐
	<u>31152 9335 B</u>	OML50 CT - SPY 66 93045 DIM5 B	☐
	<u>31152 9335 W</u>	OML50 CT - SPY 66 93045 DIM5 W	☐
	<u>31152 9415 B</u>	OML50 CT - SPY 66 94018 DIM5 B	☐
	<u>31152 9415 W</u>	OML50 CT - SPY 66 94018 DIM5 W	☐
	<u>31152 9425 B</u>	OML50 CT - SPY 66 94030 DIM5 B	☐
	<u>31152 9425 W</u>	OML50 CT - SPY 66 94030 DIM5 W	☐
	<u>31152 9435 B</u>	OML50 CT - SPY 66 94045 DIM5 B	☐

DELTALIGHT

OMNILINER 50 CT P1968 SBL HE 940 DIM5

31955 9405 W

<u>31152 9435 W</u>	OML50 CT - SPY 66 94045 DIM5 W	☐
---------------------	--------------------------------	--------------------------

Notes: