





OVIO 39 JACK 93035

REFERENCE 40112 9340 BRAT

AVAILABLE IN
BLACK BRONZE 40112 9340 BBR
BRUSHED ANTHRACITE 40112 9340 BRAT
WHITE 40112 9340 W



 [View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Semi-recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø kit
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1018lm
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	35°
LED TECHNICS (LIGHT SOURCE)	1018lm // 8,6 W // 118lm/W
LED TECHNICS (LUMINAIRE)	780lm // 9,9W // 79lm/W

Requirements	
LED POWER SUPPLY 350/500mA	
MOUNTING KIT JACK	

Accessories	
HONEYCOMB 39	
SOFTENING LENS 39	
SANDBLASTED LENS 39	
LINEAR SPREAD LENS 39	

For detailed installation instructions, please consult the manual : [40112_XXX0_HAND.pdf](#)

DELTALIGHT

OVIO 39 JACK 93035

40112 9340 BRAT

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit		
	Plasterboard	 32210 0010 - MOUNTING KIT R16 JACK TRIMLESS PLASTERBOARD  32210 0070 - MOUNTING KIT JACK TRIM	Required Required
	Wood	 32210 0060 - MOUNTING KIT JACK TRIMLESS WOOD B	Required
	Concrete	 32210 0030 - MOUNTING KIT R31 JACK TRIMLESS EXPOSED CONCRETE	Required
	Concrete + plaster	 32210 0020 - MOUNTING KIT R16 JACK TRIMLESS PLASTERED CONCRETE	Required

FINISH YOUR SPECIFICATION

LED power supplies

of Fixtures



of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current



21012 0595 LED POWER SUPPLY 500mA-DC 10W DIM5

- | 1 -> 1

☐

Dimtype: DALI

Cutout dimension (mm): 35

Mounting kits



32210 0070 BBR MOUNTING KIT JACK TRIM BBR

☐

Cutout dimension (mm): 32

32210 0070 BRAT MOUNTING KIT JACK TRIM BRAT

☐

32210 0070 W MOUNTING KIT JACK TRIM W

☐

DELTALIGHT

OVIO 39 JACK 93035

40112 9340 BRAT

Light altering devices

	32210 0210 SOFTENING LENS 39	☐
	32210 0220 SANDBLASTED LENS 39	☐
	32210 0230 LINEAR SPREAD LENS 39	☐
	32210 0240 HONEYCOMB 39	☐

Notes: