



**MINIGRID IN TRIMLESS 1 HP 93037**

100049 9320 W-B

AVAILABLE IN  
**BLACK-BLACK** 100049 9320 B-B  
**BLACK-WHITE** 100049 9320 B-W  
**WHITE-BLACK** 100049 9320 W-B  
**WHITE-WHITE** 100049 9320 W-W



 [View on website](#)



| General info                |                                                              |
|-----------------------------|--------------------------------------------------------------|
| LOCATION                    | indoor                                                       |
| INSTALLATION                | Ceiling Recessed                                             |
| CUTOUT SHAPE/SIZE (MM)      | rectangle - KIT                                              |
| RECESSED DEPTH (MM)         | 160                                                          |
| INGRESS PROTECTION          | IP20                                                         |
| WEIGHT (KG)                 | 0.6                                                          |
| ADJUSTABILITY               | 0° to 25° swiveling, 355° rotatable                          |
| INFORMATION                 | REFLECTOR FL-37°<br>EXCL.LED POWER SUPPLY 500-700mA-DC       |
| Electrical info             |                                                              |
| CLASS                       | III                                                          |
| DIM TYPE                    | depending on power supply                                    |
| ENERGY CLASS                | E                                                            |
| CERTIFICATES                | CB, ENEC                                                     |
| Lightsource info            |                                                              |
| LIGHTSOURCE NAME            | LED                                                          |
| LIGHTSOURCE                 | LED array 16,3-23,2W / CRI>90 (R9: 52) / 3000K / 2309-3169lm |
| TM-30 VALUES                | rf: 90 / Rg: 99                                              |
| SDCM                        | SDCM1                                                        |
| RISKGROUP                   | RG1                                                          |
| LM80                        | L90B10 > 50000                                               |
| BEAMANGLE                   | 37°                                                          |
| LED TECHNICS (LIGHT SOURCE) | 3169lm // 23,2W // 136lm/W                                   |
| LED TECHNICS (LUMINAIRE)    | 2263lm // 26,7W // 85lm/W                                    |

| Requirements                                                                  |
|-------------------------------------------------------------------------------|
| MINIGRID IN 1 MOUNTING KIT HP<br>LED POWER SUPPLY 500 / 700mA-DC DIM (Remote) |

| Accessories                       |
|-----------------------------------|
| HONEYCOMB 72<br>SOFTENING LENS 72 |

For detailed installation instructions, please consult the manual : [100049\\_XXX0\\_HAND.pdf](#)

## MINIGRID IN TRIMLESS 1 HP 93037

100049 9320 W-B

### CEILING COMPATIBILITY

| Ceiling Type                                                                                           | Mounting Kit                                                                                                                      |          |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------|
|  <b>System ceiling</b> |  202 71 95 01 HP - MINIGRID IN 1 MOUNTING KIT HP | Required |
|  <b>Plasterboard</b>   |  202 71 95 01 HP - MINIGRID IN 1 MOUNTING KIT HP | Required |
|  <b>Stucanet</b>       |  202 71 95 01 HP - MINIGRID IN 1 MOUNTING KIT HP | Required |

### FINISH YOUR SPECIFICATION






#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.











Min current | Max current

|                                                                                    |                                                                                                                                                        |                        |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
|  | <b>300 48 500 ED1</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1<br><b>Dimtype: 1-10V</b><br><b>Cutout dimension (mm): 30</b>                  | 1 <input type="text"/> |
|  | <b>300 48 500 ED5</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5<br><b>Dimtype: DALI</b><br><b>Cutout dimension (mm): 45</b>                   | 1 <input type="text"/> |
|  | <b>300 48 500 MDL</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL<br><b>Dimtype: non-dimmable</b><br><b>Cutout dimension (mm): 30</b>            | 1 <input type="text"/> |
|  | <b>300 48 500 WDL</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL<br><b>Dimtype: WDL = wireless dimmable</b><br><b>Cutout dimension (mm): 45</b> | 1 <input type="text"/> |
|  | <b>300 48 700 ED1</b> LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM1<br><b>Dimtype: 1-10V</b><br><b>Cutout dimension (mm): 30</b>                  | 1 <input type="text"/> |

# DELTALIGHT


## MINIGRID IN TRIMLESS 1 HP 93037

100049 9320 W-B

|                                                                                    |                                                                          |             |                          |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------------|--------------------------|
|    | <b>300 48 700 ED5</b> LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5 | 1           | <input type="checkbox"/> |
|                                                                                    | Dimtype: DALI                                                            |             |                          |
|                                                                                    | Cutout dimension (mm): 45                                                |             |                          |
|    | <b>300 48 700 MDL</b> LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W MDL  | 1           | <input type="checkbox"/> |
|                                                                                    | Dimtype: non-dimmable                                                    |             |                          |
|                                                                                    | Cutout dimension (mm): 30                                                |             |                          |
|    | <b>300 48 700 WDL</b> LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W WDL  | 1           | <input type="checkbox"/> |
|                                                                                    | Dimtype: WDL = wireless dimmable                                         |             |                          |
|                                                                                    | Cutout dimension (mm): 45                                                |             |                          |
|    | <b>300 90 61</b> LED POWER SUPPLY MULTI-POWER DIM6                       | 1   1       | <input type="checkbox"/> |
|                                                                                    | Dimtype: mains (phase cut-off) or push button                            |             |                          |
|                                                                                    | Cutout dimension (mm): 56                                                |             |                          |
|  | <b>300 90 63</b> LED POWER SUPPLY MULTI-POWER DIM9                       | 2(2)   2(1) | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or DALI or push button                                    |             |                          |
|                                                                                    | Cutout dimension (mm): 82                                                |             |                          |
|  | <b>300 90 64</b> LED POWER SUPPLY MULTI-POWER DIM7                       | 1(0)   1(0) | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or push button                                            |             |                          |
|                                                                                    | Cutout dimension (mm): 72                                                |             |                          |
|  | <b>300 90 67</b> LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9    | -   1       | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or DALI or push button                                    |             |                          |
|  | <b>300 90 68</b> LED POWER SUPPLY MULTI-POWER DIM5                       | 1(0)   1(0) | <input type="checkbox"/> |
|                                                                                    | Dimtype: DALI                                                            |             |                          |
|                                                                                    | Cutout dimension (mm): 72                                                |             |                          |
|  | <b>300 90 69</b> LED POWER SUPPLY MULTI-POWER HV DIM9                    | 3(2)   2(1) | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or DALI or push button                                    |             |                          |
|                                                                                    | Cutout dimension (mm): 84                                                |             |                          |
|  | <b>300 90 124</b> LED POWER SUPPLY MULTI-POWER DIM7                      | 1(0)   0    | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or push button                                            |             |                          |
|                                                                                    | Cutout dimension (mm): 55                                                |             |                          |

MINIGRID IN TRIMLESS 1 HP 93037




100049 9320 W-B

|                                                                                    |                                                                                                                                     |             |                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------|
|    | <b>300 90 125</b><br>LED POWER SUPPLY MULTI-POWER MINI DIM5<br>Dimtype: DALI<br>Cutout dimension (mm): 55                           | 1(0)   0    | <input type="checkbox"/> |
|    | <b>300 90 135</b><br>LED POWER SUPPLY MULTI-POWER HV<br>Dimtype: non-dimmable<br>Cutout dimension (mm): 90                          | 2->2   2    | <input type="checkbox"/> |
|    | <b>21012 0010</b><br>LED POWER SUPPLY MULTI POWER<br>Dimtype: non-dimmable<br>Cutout dimension (mm): 50                             | 1   1       | <input type="checkbox"/> |
|    | <b>21012 0021</b><br>LED POWER SUPPLY MULTI POWER DIM1<br>Dimtype: 1-10V<br>Cutout dimension (mm): 54                               | 1   1       | <input type="checkbox"/> |
|  | <b>21012 0035</b><br>LED POWER SUPPLY MULTI POWER DIM5<br>Dimtype: DALI<br>Cutout dimension (mm): 54                                | 1   1       | <input type="checkbox"/> |
|  | <b>21012 004W</b><br>LED POWER SUPPLY MULTI-POWER WDL<br>Dimtype: WDL = wireless dimmable<br>Cutout dimension (mm): 84              | 2(2)   2(1) | <input type="checkbox"/> |
|  | <b>21012 005W</b><br>LED POWER SUPPLY MULTI-POWER COMPACT WDL<br>Dimtype: WDL = wireless dimmable<br>Cutout dimension (mm): 54      | 1   1       | <input type="checkbox"/> |
|  | <b>21012 0288</b><br>LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8<br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 55 | 0   1       | <input type="checkbox"/> |
|  | <b>21012 0298</b><br>LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8<br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 48 | 1   0       | <input type="checkbox"/> |
|  | <b>21012 0490</b><br>LED POWER SUPPLY 700mA-DC / 30W IP68<br>Dimtype: non-dimmable<br>Cutout dimension (mm): 60                     | 1(0)        | <input type="checkbox"/> |


# DELTALIGHT

## MINIGRID IN TRIMLESS 1 HP 93037


100049 9320 W-B

|                                                                                   |                                                                      |      |                          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------|------|--------------------------|
|  | <b>21012 0500</b> LED POWER SUPPLY 500mA-DC / 24W IP68               | 1(0) | <input type="checkbox"/> |
| Dimtype: non-dimmable                                                             |                                                                      |      |                          |
| Cutout dimension (mm): 60                                                         |                                                                      |      |                          |
|   | <b>21032 0305</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 | 1    | <input type="checkbox"/> |
| Dimtype: DALI                                                                     |                                                                      |      |                          |
| Cutout dimension (mm): 30                                                         |                                                                      |      |                          |
|   | <b>21032 0315</b> LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5 | 1    | <input type="checkbox"/> |
| Dimtype: DALI                                                                     |                                                                      |      |                          |
| Cutout dimension (mm): 30                                                         |                                                                      |      |                          |

### Mounting kits

|                                                                                   |                                                      |  |                          |
|-----------------------------------------------------------------------------------|------------------------------------------------------|--|--------------------------|
|  | <b>202 71 95 01 HP</b> MINIGRID IN 1 MOUNTING KIT HP |  | <input type="checkbox"/> |
| Cutout dimension (mm): 130 x 130                                                  |                                                      |  |                          |

### Light altering devices

|                                                                                    |                                    |  |                          |
|------------------------------------------------------------------------------------|------------------------------------|--|--------------------------|
|  | <b>201 05 01 B</b> HONEYCOMB 72 B  |  | <input type="checkbox"/> |
|  | <b>201 05 04</b> SOFTENING LENS 72 |  | <input type="checkbox"/> |

Notes: