



SOLI - 52 SOFT 93045 DIM5

27185 9035 W

AVAILABLE IN
BLACK 27185 9035 B
GOLD COLOURED 27185 9035 GC
WHITE 27185 9035 W



[View on website](#)



General info

| | |
|---------------------------|--|
| LOCATION | indoor |
| INSTALLATION | Low voltage systems Low voltage system mounted |
| INGRESS PROTECTION | IP20 |
| WEIGHT (KG) | 0.4 |
| ADJUSTABILITY | 0° to 90° swiveling, 360° rotatable |
| INFORMATION | REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 48V-DC Optional REFLECTORS 20° & 30° available |

Electrical info

| | |
|---------------------|---------------|
| ELECTRICAL | 48V-DC |
| CLASS | III |
| DIM TYPE | DALI |
| ENERGY CLASS | F |
| CERTIFICATES | CB, ENEC, LCA |

Lightsource info

| | |
|------------------------------------|--|
| LIGHTSOURCE NAME | LED |
| LIGHTSOURCE | LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm |
| SDCM | SDCM2 |
| RISKGROUP | RG1 |
| LM80 | L90B10 > 50000 |
| BEAMANGLE | 45° |
| LED TECHNICS (LIGHT SOURCE) | 1038lm // 10,2W // 109lm/W |
| LED TECHNICS (LUMINAIRE) | 664lm // 11,7W // 57lm/W |

Requirements

SPY 52 TUBE
 LED POWER SUPPLY 48V-DC

Accessories

HONEYCOMB 42
 SPREAD LENS 42
 LINEAR SPREAD LENS 42
 SOFTENING LENS 42
 GLASS SBL 42

DELTALIGHT

SOLI - 52 SOFT 93045 DIM5

27185 9035 W


For detailed installation instructions, please consult the manual : [27185_XXX5_HAND.pdf](#) , [27185_XXX5_HAND.pdf](#)

FINISH YOUR SPECIFICATION


Light altering devices



19810 0010 B HONEYCOMB 42 SINGLE USE B




19810 0020 LINEAR SPREAD LENS 42




19810 0030 SPREAD LENS 42



19810 0040 SOFTENING LENS 42




19810 0050 GLASS SBL 42



19810 0060 B HONEYCOMB 42 DOUBLE USE B

Finish your product



19810 0100 B SPY 52 TUBE B

DELTALIGHT

SOLI - 52 SOFT 93045 DIM5

27185 9035 W

19810 0100 FBR SPY 52 TUBE FBR

19810 0100 FG SPY 52 TUBE FG

19810 0100 GC SPY 52 TUBE GC

19810 0100 W SPY 52 TUBE W

Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20°



19810 0190 SPY 52 REFLECTOR 45°




19810 0240 SPY 52 REFLECTOR 30°


COMPATIBLE COMPOSABLES

SOLISCAPE profile

Available Colours



27111 0020 SOLI - PROFILE 2m



27111 0030 SOLI - PROFILE 3m



Notes:

DELTALIGHT

SOLI - 52 SOFT 93045 DIM5

27185 9035 W