




ZOOVER 4CLIP 140 LIGHT GREY
DIM5

28217 0005



 [View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	6.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.CLIP PLATE BLACK FOR 4 x SPY 27 CLIP or SPY 39 CLIP or SPY 39 L CLIP SPY 27 @ 350mA - SPY 39 @ 500mA INCL.4 MINI CONNECTOR FOR CLIP INCL.DIMMABLE LED POWER SUPPLY 350/500mA INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 5 x 0.75mm ²
Electrical info	
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI

Remarks

[Click here for ZOOVER 140 acoustic specifications](#)




Options

- CABLE BASE R / S
- COVERSET R 62-90-100
- CONNECTION ST / CONNECTION TRIMLESS
- SUSPENSION ST / SUSPENSION TRIMLESS


For detailed installation instructions, please consult the manual : [28217_0005_HAND.pdf](#)

COMPATIBLE PARTS


Coversets

	204 00 62 COVERSET R 62	
	204 00 90 COVERSET R 90	
	204 00 100 COVERSET R 100	


Current supply

	203 99 55 CABLE BASE R	
	203 99 56 CABLE BASE S	

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	
	15225 0360 CONNECTION ST	


Suspension parts

	328 10 01 SUSPENSION TRIMLESS O.F.A.	
--	---	--

DELTALIGHT

ZOOVER 4CLIP 140 LIGHT GREY DIM5

28217 0005



15225 0340 SUSPENSION ST



COMPATIBLE LUMINAIRES

SPY 27 CLIP



24133 9220 SPY 27 L CLIP 92730



0-85°/355°



24133 9320 SPY 27 L CLIP 93030



0-85°/355°

SPY 39 CLIP



24125 9220 SPY 39 CLIP 92720



0-85°/355°



24125 9230 SPY 39 CLIP 92740



0-85°/355°



24125 9320 SPY 39 CLIP 93020



0-85°/355°



24125 9330 SPY 39 CLIP 93040



0-85°/355°

SPY 39 L CLIP



24134 9220 SPY 39 L CLIP 92720




0-85°/355°


DELTALIGHT

ZOOVER 4CLIP 140 LIGHT GREY DIM5


28217 0005



24134 9230 SPY 39 L CLIP 92740



24134 9320 SPY 39 L CLIP 93020



24134 9330 SPY 39 L CLIP 93040

Notes: