





## SUPERNOVA FLAT 65 DOWN-UP 930 DIM1

20612 9301 B

AVAILABLE IN  
**BLACK** 20612 9301 B  
**WHITE** 20612 9301 W



[View on website](#)



| General info       |                                                                          |
|--------------------|--------------------------------------------------------------------------|
| LOCATION           | indoor                                                                   |
| INSTALLATION       | Ceiling Suspended                                                        |
| INGRESS PROTECTION | IP20                                                                     |
| WEIGHT (KG)        | 9.4                                                                      |
| ADJUSTABILITY      | non adjustable                                                           |
| INFORMATION        | INCL.PC SBL<br>INCL.DIMMABLE LED POWER SUPPLY 1400mA (DOWN) / 500mA (UP) |

| Electrical info |                      |
|-----------------|----------------------|
| ELECTRICAL      | 220-240V / 0 50-60Hz |
| CLASS           | I                    |
| POWER SUPPLY    | YES                  |
| DIM TYPE        | 1-10V                |
| ENERGY CLASS    | E                    |
| CERTIFICATES    | CB, ENEC, LCA, RCM   |

| Lightsource info            |                                                                                                                                               |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| LIGHTSOURCE NAME            | LED                                                                                                                                           |
| LIGHTSOURCE                 | DOWN @ 1400mA: LED cluster 58,5W / CRI>90 (R9: 68) / 3000K / 7776lm<br>UP @ 500mA: 2 x (LED cluster 11,1W / CRI>90 (R9: 50) / 3000K / 1487lm) |
| TM-30 VALUES                | Rf: 89 / Rg: 97<br>Rf: 92 / Rg: 100                                                                                                           |
| SDCM                        | SDCM3                                                                                                                                         |
| RISKGROUP                   | RG1                                                                                                                                           |
| LM80                        | L70 > 60000<br>L80 > 60000                                                                                                                    |
| LED TECHNICS (LIGHT SOURCE) | DOWN @ 1400mA: 7776lm // 58,5W // 132lm/W<br>UP @ 500mA: 2974lm // 22,2W // 134lm/W                                                           |
| LED TECHNICS (LUMINAIRE)    | DOWN @ 1400mA: 5925lm // 67,3W // 88lm/W<br>UP @ 500mA: 2784lm // 25,5W // 109lm/W                                                            |

### Requirements

SUSPENSION SET 25 DIM 3m  
CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m  
CENTRAL SUSPENSION SUPERNOVA FLAT

### Options

CABLE BASE R / S  
COVERSET R 62-90-100 / S 62-80-90

# DELTALIGHT


## SUPERNOVA FLAT 65 DOWN-UP 930 DIM1

20612 9301 B



For detailed installation instructions, please consult the manual : [20612\\_XXX1\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION

#### Current supply

|                                                                                    |                                       |                          |
|------------------------------------------------------------------------------------|---------------------------------------|--------------------------|
|    | <b>203 99 55 ANO</b> CABLE BASE R ANO | <input type="checkbox"/> |
|                                                                                    | <b>203 99 55 B</b> CABLE BASE R B     | <input type="checkbox"/> |
|                                                                                    | <b>203 99 55 W</b> CABLE BASE R W     | <input type="checkbox"/> |
|  | <b>203 99 56 ANO</b> CABLE BASE S ANO | <input type="checkbox"/> |
|                                                                                    | <b>203 99 56 B</b> CABLE BASE S B     | <input type="checkbox"/> |
|                                                                                    | <b>203 99 56 W</b> CABLE BASE S W     | <input type="checkbox"/> |

#### Coversets

|                                                                                    |                                        |                          |
|------------------------------------------------------------------------------------|----------------------------------------|--------------------------|
|  | <b>204 00 62 ANO</b> COVERSET R 62 ANO | <input type="checkbox"/> |
|                                                                                    | <b>204 00 62 B</b> COVERSET R 62 B     | <input type="checkbox"/> |
|                                                                                    | <b>204 00 62 W</b> COVERSET R 62 W     | <input type="checkbox"/> |
|  | <b>204 00 90 ANO</b> COVERSET R 90 ANO | <input type="checkbox"/> |

# DELTALIGHT

## SUPERNOVA FLAT 65 DOWN-UP 930 DIM1

20612 9301 B


|                                                                                     |                              |                    |                          |
|-------------------------------------------------------------------------------------|------------------------------|--------------------|--------------------------|
|                                                                                     | <b><u>204 00 90 B</u></b>    | COVERSET R 90 B    | <input type="checkbox"/> |
|                                                                                     | <b><u>204 00 90 W</u></b>    | COVERSET R 90 W    | <input type="checkbox"/> |
|     | <b><u>204 00 100 ANO</u></b> | COVERSET R 100 ANO | <input type="checkbox"/> |
|                                                                                     | <b><u>204 00 100 B</u></b>   | COVERSET R 100 B   | <input type="checkbox"/> |
|                                                                                     | <b><u>204 00 100 W</u></b>   | COVERSET R 100 W   | <input type="checkbox"/> |
|    | <b><u>204 62 62 ANO</u></b>  | COVERSET S 62 ANO  | <input type="checkbox"/> |
|                                                                                     | <b><u>204 62 62 B</u></b>    | COVERSET S 62 B    | <input type="checkbox"/> |
|                                                                                     | <b><u>204 62 62 W</u></b>    | COVERSET S 62 W    | <input type="checkbox"/> |
|  | <b><u>204 80 80 ANO</u></b>  | COVERSET S 80 ANO  | <input type="checkbox"/> |
|                                                                                     | <b><u>204 80 80 B</u></b>    | COVERSET S 80 B    | <input type="checkbox"/> |
|                                                                                     | <b><u>204 80 80 W</u></b>    | COVERSET S 80 W    | <input type="checkbox"/> |
|  | <b><u>204 90 90 ANO</u></b>  | COVERSET S 90 ANO  | <input type="checkbox"/> |
|                                                                                     | <b><u>204 90 90 B</u></b>    | COVERSET S 90 B    | <input type="checkbox"/> |
|                                                                                     | <b><u>204 90 90 W</u></b>    | COVERSET S 90 W    | <input type="checkbox"/> |

# DELTALIGHT

## SUPERNOVA FLAT 65 DOWN-UP 930 DIM1

20612 9301 B


### Suspension parts




**274 97 10 B** CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m B

☐

**274 97 10 W** CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m W

☐

**328 25 43 ED** SUSPENSION SET 25 DIM 3m

☐

**328 26 23 B** CENTRAL SUSPENSION SUPERNOVA FLAT 3m B

☐

**328 26 23 W** CENTRAL SUSPENSION SUPERNOVA FLAT 3m W

☐

### Electric connection parts



**15225 0360 B** CONNECTION ST B

☐

Cutout dimension (mm): 43

**15225 0360 W** CONNECTION ST W

☐

Notes: