




**min. 2 persons needed
during installation**

SUPERNOVA LINE 65 TW DIM5

DEEL
PARTIE
TEIL
PART
PARTE
PARTE

A




IP20

Beschermd tegen vaste voorwerpen die groter zijn dan 12 mm
Protégé contre les objets solides de plus de 12 mm
Geschützt gegen Festkörper größer als 12 mm
Protected against solid objects greater than 12 mm
Protegido contra objetos sólidos superiores a 12 mm
Protetto contro oggetti solidi più grandi di 12 mm



Voorzien van aardingsaansluiting
Avec mise à la terre
Ausgerüstet mit Erdungsanschluss
Provided with grounding
Con la toma de tierra
Con presa a terra


**CEILING
SURFACE
MOUNTED**



GROUP ADDRESS "0" (Power) = 0% ↔ 100%
GROUP ADDRESS "1" (Color) = 2700K ↔ 5700K
Methode DT6 (Device Type 6)

U: 120-277V


**CEILING
SURFACE
SUSPENDED** + **SUSPENSION SET 18 TW DIM5 3m**
328 18 43 TW ED5



GROUP ADDRESS "0" (Power) = 0% ↔ 100%
GROUP ADDRESS "1" (Color) = 2700K ↔ 5700K
Methode DT6 (Device Type 6)


U: 120-277V

1






**FLAT SIDES
PC**

1






**FLAT SIDES
PC**




**CEILING
SURFACE
MOUNTED**






**CEILING
SURFACE
SUSPENDED**



 **CEILING
SURFACE
MOUNTED**



 **CEILING
SURFACE
SUSPENDED**



CEILING SURFACE MOUNTED

CEILING SURFACE SUSPENDED

8

Warm White
Cold White

0%
100%

9

Warm White
Cold White

50%
50%

This product contains a light source of energy efficiency class F
本产品包含能效等级为 F 的光源
Этот артикул содержит источник света с энергоэффективностью класса F
يحتوي هذا المنتج على مصدر ضوء ذو كفاءة الطاقة F

F

Dit product bevat een verlichtingsbron van energie-efficiëntieklasse F
Ce produit contient une source d'éclairage de classe d'efficacité énergétique F
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
Este producto contiene una fuente de iluminación de clase de eficiencia energética F
Questo prodotto contiene una fonte di illuminazione in classe di efficienza energetica F

Replaceable (LED only) light source and control gear by a professional
(仅针对LED) 光源及其控制设备只能由专业人员更换
(для СВЕТОДИОДНЫХ светильников) замена источника света и блока питания может быть произведена только квалифицированным специалистом
مصدر الضوء (إيد فقط) و معدات التحكم قابليين للتغيير بالشرف الفني المتخصص

Verlichtingsbron (enkel LED) en voorschakelapparaat kan enkel vervangen worden door een professional
La source d'éclairage (uniquement LED) et le ballast ne peut être remplacé que par un professionnel
Die Lichtquelle (nur LED) und Vorschaltgerät kann nur von einem Fachmann ausgetauscht werden
La fuente de iluminación (solo LED) solo puede ser reemplazada por un profesional
La sorgente luminosa (LED) e l'alimentatore possono essere sostituiti solo da un professionista.

8

Warm White
Cold White

50%
50%



9

FLAT SIDES PC


SHARP EDGE DOWNWARDS



CEILING SURFACE MOUNTED



CEILING SURFACE SUSPENDED



De verlichtingsbron van dit verlichtingstoestel zal enkel door de fabrikant of door de fabrikant aangestelde installateur vervangen worden.

La source lumière de cet appareil ne sera remplacée que par l'entreprise ou par un agent reconnu.


Das enthaltene Leuchtmittel sollte nur durch entsprechendes Fachpersonal ersetzt werden.

The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent.

La fuente de iluminación que tiene esta luminaria sólo puede remplazarse por el fabricante o por un instalador autorizado.

La sorgente luminosa incorporata in questo apparecchio può essere sostituita solo dal produttore, da un suo centro assistenza oppure da una persona in possesso della necessaria abilitazione.

HOW TO REMOVE THE LENS?



HOW TO PUT THE LENS BACK?

