





ZOOVER 4CLIP 140 DARK GREY DIM5

28218 0005



[Bekijk op website](#)



Algemene info

LOCATIE	binnen
INSTALLATIE	Plafond Gependeld
STOF EN WATERDICHTHEID	IP20
GEWICHT (KG)	6.5
RICHTBAARHEID	niet richtbaar
INFO	INCL.CLIP PLATE BLACK FOR 4 x SPY 27 CLIP or SPY 39 CLIP or SPY 39 L CLIP SPY 27 @ 350mA - SPY 39 @ 500mA INCL.4 MINI CONNECTOR FOR CLIP INCL.DIMMABLE LED POWER SUPPLY 350/500mA INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 5 x 0.75mm ²

Elektrische info

KLASSE	I
VOEDING	YES
DIM TYPE	DALI

Opmerkingen

[Click here for ZOOVER 140 acoustic specifications](#)

Opties

CABLE BASE R / S
COVERSET R 62-90-100
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS

Voor gedetailleerde montage gegevens, consulteer de handleiding : [28218_0005_HAND.pdf](#)




DELTALIGHT

ZOOVER 4CLIP 140 DARK GREY DIM5

28218 0005

COMPATIBELE ONDERDELEN


Coversets

	204 00 62 COVERSET R 62	
	204 00 90 COVERSET R 90	
	204 00 100 COVERSET R 100	


Onderdelen voor elektrische verbinding

	328 10 03 CONNECTION TRIMLESS O.F.A.	
	15225 0360 CONNECTION ST	

Ophang toebehoren

	328 10 01 SUSPENSION TRIMLESS O.F.A.	
	15225 0340 SUSPENSION ST	

Stroomtoevoer

	203 99 55 CABLE BASE R	
--	-------------------------------	---

DELTALIGHT

ZOOVER 4CLIP 140 DARK GREY DIM5

28218 0005



203 99 56 CABLE BASE S



COMPATIBELE ARMATUREN

SPY 27 CLIP



24133 9220 SPY 27 L CLIP 92730



0.85°/355°



24133 9320 SPY 27 L CLIP 93030



0.85°/355°

SPY 39 CLIP



24125 9220 SPY 39 CLIP 92720



0.85°/355°



24125 9230 SPY 39 CLIP 92740



0.85°/355°



24125 9320 SPY 39 CLIP 93020



0.85°/355°



24125 9330 SPY 39 CLIP 93040



0.85°/355°

SPY 39 L CLIP



24134 9220 SPY 39 L CLIP 92720



0.85°/355°

DELTALIGHT

ZOOVER 4CLIP 140 DARK GREY DIM5

28218 0005



24134 9230 SPY 39 L CLIP 92740



24134 9320 SPY 39 L CLIP 93020



24134 9330 SPY 39 L CLIP 93040



Notes: