



## MIKALINE L198 927

30612 9200 GC

AVAILABLE IN  
**BLACK** 30612 9200 B  
**GOLD COLOURED** 30612 9200 GC



 [View on website](#)



### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Ceiling Surface mounted,Ceiling Suspended,Wall Surface mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	1.1
<b>ADJUSTABILITY</b>	non adjustable
<b>INFORMATION</b>	INCL.PLUG-IN-48V CABLE 11cm black EXCL.LED POWER SUPPLY 48V-DC connection max.140W (3A)

### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	depending on power supply
<b>ENERGY CLASS</b>	G
<b>CERTIFICATES</b>	CB, ENEC

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED FLEX 27W / CRI>90 / 2700K / 2025lm
<b>LED TECHNICS (LIGHT SOURCE)</b>	2025lm // 27W // 75lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	1065lm // 31W // 34lm/W

### Requirements

LED POWER SUPPLY 48V-DC (Remote)  
 POWERBOX 48V-DC PLUG-IN

### Options

MIKALINE - JUNCTION / FIXATION  
 MIKALINE - CABLE SUSPENSION  
 PLUG-IN 48V CABLE  
 CONNECTION CLIP 1 x PLUG-IN 48V  
 CEILING BASE PLUG-IN 48V

For detailed installation instructions, please consult the manual : [30612\\_XXX0\\_HAND.pdf](#)


# DELTALIGHT

## MIKALINE L198 927


30612 9200 GC

### FINISH YOUR SPECIFICATION


#### Current supply



**30610 0100** PLUG-IN 48V CABLE 11cm black



**30610 0110** PLUG-IN 48V CABLE 1,5m black




**30610 0120** PLUG-IN 48V CABLE 3m black



**30610 0140 B** CONNECTION CLIP 1 x PLUG-IN 48V B


Cutout dimension (mm): 51

#### LED power supplies




**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

Dimtype: non-dimmable



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN


Dimtype: non-dimmable



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

Dimtype: non-dimmable

Cutout dimension (mm): 40



**21012 0240** LED POWER SUPPLY 48V-DC / 200W


Dimtype: non-dimmable

Cutout dimension (mm): 40

# DELTALIGHT

## MIKALINE L198 927

30612 9200 GC




**21032 0331** LED POWER SUPPLY 48V-DC / 90W DIM1



Dimtype: 1-10V

Cutout dimension (mm): 75




**21032 0345** LED POWER SUPPLY 48V-DC / 90W DIM5



Dimtype: DALI

Cutout dimension (mm): 75




**30610 0190** POWER ADAPTER 48V-DC / 60W PLUG-IN



Dimtype: non-dimmable

### Power box



**30610 0170 B** POWERBOX 48V-DC / 100W PLUG-IN B



Dimtype: non-dimmable

### Suspension parts



**30610 0080 B** MIKALINE - CABLE SUSPENSION SINGLE 1,6m B



### Fixation components



**30610 0010 C** MIKALINE - JUNCTION 2 FLEX SET C



**30610 0020 C** MIKALINE - JUNCTION 3 FLEX C



# DELTALIGHT

## MIKALINE L198 927

30612 9200 GC



**30610 0030 C** MIKALINE - JUNCTION 4 FLEX C



**30610 0040 C** MIKALINE - JUNCTION 2 HINGE C



**30610 0050 C** MIKALINE - FIXATION SIDE SET C




**30610 0060 B** MIKALINE - FIXATION SPACER FLEX SET B



**30610 0070 C** MIKALINE - FIXATION H/V FLEX C



**30610 0090 B** MIKALINE - FIXATION SPACER SET B



**30610 0180 B** MIKALINE - SPACER 90° 2 SET B



### Ceiling bases



**30610 0150 B** CEILING BASE 3 x PLUG-IN 48V B



**30610 0160 B** CEILING BASE 1 x PLUG-IN 48V B



# DELTALIGHT

## **MIKALINE L198 927**

30612 9200 GC

Notes: