
DELTALIGHT




# SUPERNOVA LINE 125 930

**REFERENCE** 20626 9300 B

AVAILABLE IN
**BLACK** 20626 9300 B
**WHITE** 20626 9300 W




View on website

| General info | |
|---|---|
| **LOCATION** | indoor |
| **INSTALLATION** | Ceiling Surface mounted,Ceiling Suspended |
| **INGRESS PROTECTION** | IP20 |
| **WEIGHT (KG)** | 19.6 |
| **ADJUSTABILITY** | non adjustable |
| **INFORMATION** | INCL.PC SBL<br>INCL.LED POWER SUPPLY |

| Electrical info | |
|---|---|
| **ELECTRICAL** | 220-240V / 0\|50-60Hz |
| **CLASS** | I |
| **POWER SUPPLY** | YES |
| **DIM TYPE** | non-dimmable |
| **ENERGY CLASS** | D |
| **CERTIFICATES** | CB, ENEC, EPD, RCM |

| Lightsource info | |
|---|---|
| **LIGHTSOURCE NAME** | LED |
| **LIGHTSOURCE** | LED cluster 235,2W / CRI>90 (R9: 50) / 3000K / 34541lm |
| **TM-30 VALUES** | Rf: 92 / Rg: 100 |
| **SDCM** | SDCM3 |
| **RISKGROUP** | RG1 |
| **LM80** | L80 > 60000 |
| **LED TECHNICS (LIGHT SOURCE)** | 34541lm // 235,2W // 147lm/W |
| **LED TECHNICS (LUMINAIRE)** | 26527lm // 270W // 98lm/W |

**Options**

SUSPENSION SET 18 3m
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
SUPERNOVA 125 RECESSED KIT

For detailed installation instructions, please consult the manual : **20626_XXX0_HAND.pdf**


DELTALIGHT

# SUPERNOVA LINE 125 930

20626 9300 B

## FINISH YOUR SPECIFICATION


### Current supply




**203 99 55 ANO** CABLE BASE R ANO ☐

**203 99 55 B** CABLE BASE R B ☐

**203 99 55 W** CABLE BASE R W ☐




**203 99 56 ANO** CABLE BASE S ANO ☐

**203 99 56 B** CABLE BASE S B ☐

**203 99 56 W** CABLE BASE S W ☐

### Recessed kits





**274 94 1310** SUPERNOVA 125 RECESSED KIT ☐



**Cutout dimension (mm): 1335**

### Coversets




**204 00 62 ANO** COVERSET R 62 ANO ☐






**204 00 62 B** COVERSET R 62 B ☐

**204 00 62 W** COVERSET R 62 W ☐

DELTALIGHT

## SUPERNOVA LINE 125 930

20626 9300 B

| | | | |
|---|---|---|---|
|   | **204 00 90 ANO** | COVERSET R 90 ANO | ☐ |
| | **204 00 90 B** | COVERSET R 90 B | ☐ |
| | **204 00 90 W** | COVERSET R 90 W | ☐ |
|   | **204 00 100 ANO** | COVERSET R 100 ANO | ☐ |
| | **204 00 100 B** | COVERSET R 100 B | ☐ |
| | **204 00 100 W** | COVERSET R 100 W | ☐ |
|   | **204 62 62 ANO** | COVERSET S 62 ANO | ☐ |
| | **204 62 62 B** | COVERSET S 62 B | ☐ |
| | **204 62 62 W** | COVERSET S 62 W | ☐ |
|   | **204 80 80 ANO** | COVERSET S 80 ANO | ☐ |
| | **204 80 80 B** | COVERSET S 80 B | ☐ |
| | **204 80 80 W** | COVERSET S 80 W | ☐ |
|   | **204 90 90 ANO** | COVERSET S 90 ANO | ☐ |
| | **204 90 90 B** | COVERSET S 90 B | ☐ |
| | **204 90 90 W** | COVERSET S 90 W | ☐ |


DELTALIGHT

# SUPERNOVA LINE 125 930

20626 9300 B


## Suspension parts

**328 18 43** SUSPENSION SET 18 3m




**328 24 61 B** CENTRAL ROD SUSPENSION 65 1m B

**328 24 61 W** CENTRAL ROD SUSPENSION 65 1m W




**328 24 91 B** CENTRAL ROD SUSPENSION 95 1m B

**328 24 91 W** CENTRAL ROD SUSPENSION 95 1m W

## Electric connection parts




**15225 0360 B** CONNECTION ST B

**Cutout dimension (mm): 43**

**15225 0360 W** CONNECTION ST W

Notes: