




## SUPERLOOP-SPY 52 SOFT 93045 MDL

**REFERENCE** 20583 9030 FG

AVAILABLE IN  
**BLACK** 20583 9030 B  
**FLEMISH BRONZE** 20583 9030 FBR  
**FLEMISH GOLD** 20583 9030 FG  
**GOLD COLOURED** 20583 9030 GC  
**WHITE** 20583 9030 W



[View on website](#)



### General info

|                           |                                                                                                                       |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>LOCATION</b>           | indoor                                                                                                                |
| <b>INSTALLATION</b>       | Low voltage systems Low voltage system mounted                                                                        |
| <b>INGRESS PROTECTION</b> | IP20                                                                                                                  |
| <b>WEIGHT (KG)</b>        | 0.4                                                                                                                   |
| <b>ADJUSTABILITY</b>      | 0° to 90° swiveling, 355° rotatable                                                                                   |
| <b>INFORMATION</b>        | REFLECTOR WFL-45°<br>INCL.CLIP 48V ADAPTER<br>EXCL.LED POWER SUPPLY 48V-DC<br>Optional REFLECTORS 20° & 30° available |

### Electrical info

|                     |                                    |
|---------------------|------------------------------------|
| <b>ELECTRICAL</b>   | 48V-DC                             |
| <b>CLASS</b>        | III                                |
| <b>DIM TYPE</b>     | MDL = 1-10V or DALI or push button |
| <b>ENERGY CLASS</b> | F                                  |

### Lightsource info

|                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| <b>LIGHTSOURCE NAME</b>            | LED                                                      |
| <b>LIGHTSOURCE</b>                 | LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm |
| <b>SDCM</b>                        | SDCM2                                                    |
| <b>RISKGROUP</b>                   | RG1                                                      |
| <b>LM80</b>                        | L90B10 > 50000                                           |
| <b>BEAMANGLE</b>                   | 45°                                                      |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 1038lm // 10,2W // 109lm/W                               |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 664lm // 11,7W // 57lm/W                                 |

### Requirements

SPY 52 TUBE  
 LED POWER SUPPLY 48V-DC

### Options

DIMMABLE MODULATOR

### Accessories

HONEYCOMB 42  
 SPREAD LENS 42  
 LINEAR SPREAD LENS 42  
 SOFTENING LENS 42  
 GLASS SBL 42


For detailed installation instructions, please consult the manual : [20583\\_XXX0\\_HAND.pdf](#)

FINISH YOUR SPECIFICATION


Light altering devices



**19810 0010 B** HONEYCOMB 42 SINGLE USE B

☐


**19810 0020** LINEAR SPREAD LENS 42

☐


**19810 0030** SPREAD LENS 42

☐

**19810 0040** SOFTENING LENS 42

☐


**19810 0050** GLASS SBL 42

☐

**19810 0060 B** HONEYCOMB 42 DOUBLE USE B

☐

Finish your product



**19810 0100 B** SPY 52 TUBE B

☐

# DELTALIGHT

## SUPERLOOP-SPY 52 SOFT 93045 MDL

20583 9030 FG

|                       |                 |                          |
|-----------------------|-----------------|--------------------------|
| <b>19810 0100 FBR</b> | SPY 52 TUBE FBR | <input type="checkbox"/> |
| <b>19810 0100 FG</b>  | SPY 52 TUBE FG  | <input type="checkbox"/> |
| <b>19810 0100 GC</b>  | SPY 52 TUBE GC  | <input type="checkbox"/> |
| <b>19810 0100 W</b>   | SPY 52 TUBE W   | <input type="checkbox"/> |




### Replaceable reflector / lens

|                                                                                    |                                        |                          |
|------------------------------------------------------------------------------------|----------------------------------------|--------------------------|
|    | <b>19810 0180</b> SPY 52 REFLECTOR 20° | <input type="checkbox"/> |
|  | <b>19810 0190</b> SPY 52 REFLECTOR 45° | <input type="checkbox"/> |
|  | <b>19810 0240</b> SPY 52 REFLECTOR 30° | <input type="checkbox"/> |

## COMPATIBLE COMPOSABLES

### SUPERLOOP HC MDL


### Available Colours

|                                                                                    |                                        |                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>418 481 07</b> SUPERLOOP HC 70 MDL  |    |
|  | <b>418 481 09</b> SUPERLOOP HC 90 MDL  |    |
|  | <b>418 481 12</b> SUPERLOOP HC 120 MDL |    |

# DELTALIGHT

## SUPERLOOP-SPY 52 SOFT 93045 MDL

20583 9030 FG




**418 481 17**

SUPERLOOP HC 170 MDL



### SUPERLOOP HC MDL XL


Available Colours



**20555 0000**

SUPERLOOP HC 200 MDL






**20556 0000**

SUPERLOOP HC 250 MDL






**20557 0000**

SUPERLOOP HC 300 MDL






**20558 0000**

SUPERLOOP HC 350 MDL






**20559 0000**

SUPERLOOP HC 400 MDL






**20560 0000**

SUPERLOOP HC 500 MDL



### SUPERLOOP PLUS MDL


Available Colours



**20564 0000**

SUPERLOOP PLUS HC 70 MDL





**20565 0000**


SUPERLOOP PLUS HC 90 MDL



# DELTALIGHT

## SUPERLOOP-SPY 52 SOFT 93045 MDL

20583 9030 FG




20566 0000

SUPERLOOP PLUS HC 120 MDL



### SUPERLOOP S HC MDL


Available Colours



418 482 106

SUPERLOOP S HC 106 MDL






418 482 109

SUPERLOOP S HC 109 MDL






418 482 211

SUPERLOOP S HC 211 MDL





418 482 217

SUPERLOOP S HC 217 MDL



Notes: