
DELTALIGHT




TOUPE AC 927 ADM DIM8

REFERENCE 100061 9208 B

AVAILABLE IN
BLACK 100061 9208 B
WHITE 100061 9208 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Mains voltage track Mains voltage track mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.6
ADJUSTABILITY	non adjustable
INFORMATION	INCL.1 x CABLE 3 x 0.75mm² 1,6m EXCL. TOUPE SHADE

Electrical info	
ELECTRICAL	230V / 50-60Hz
CLASS	I
DIM TYPE	mains (phase cut-off)
ENERGY CLASS	G

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	AC LED array 8W / CRI>90 (R9: 55) / 2700K / 597lm
TM-30 VALUES	Rf: 92 / Rg: 98
SDCM	SDCM3
RISKGROUP	RG1
LM80	L80B10 > 67000
LED TECHNICS (LIGHT SOURCE)	597lm // 8W // 75lm/W
LED TECHNICS (LUMINAIRE)	429lm // 8W // 54lm/W

Requirements

TOUPE SHADE

Options

CABLE CLAMP

For detailed installation instructions, please consult the manual : **100061_XXX8_HAND.pdf**


DELTALIGHT

TOUPE AC 927 ADM DIM8

100061 9208 B

FINISH YOUR SPECIFICATION

Suspension parts



15229 0010 B CABLE CLAMP B ☐

Finish your product




28700 0010 B TOUPE SHADE S B ☐

28700 0010 W TOUPE SHADE S W ☐



28700 0020 B TOUPE SHADE M B ☐

28700 0020 W TOUPE SHADE M W ☐



28700 0030 B TOUPE SHADE L B ☐

28700 0030 W TOUPE SHADE L W ☐

COMPATIBLE TRACKS

TRACK 3F ON			Available Colours
28900 0020 TRACK 3F ON 2m	2000 m	1.8 kg	●
28900 0030 TRACK 3F ON 3m	3000 m	2.7 kg	●

DELTALIGHT

TOUPE AC 927 ADM DIM8

100061 9208 B

Notes: