
DELTALIGHT



SLM26H F 927 MDL WD

REFERENCE 29323 920W B

AVAILABLE IN
BLACK 29323 920W B



View on website

General info	
LOCATION	indoor
INSTALLATION	Floor Stand alone
INGRESS PROTECTION	IP20
WEIGHT (KG)	6.9
INFORMATION	INCL.POWER ADAPTER 48V-DC / 50W PLUG-IN INCL.FOOT SWITCH ON/OFF


Electrical info	
ELECTRICAL	100-240V / 50-60Hz
CLASS	II
POWER SUPPLY	YES
DIM TYPE	WDL = wireless dimmable
ENERGY CLASS	F

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	Backlight LED FLEX 25,7W / CRI>90 / 2700K / 3023lm
LED TECHNICS (LIGHT SOURCE)	Backlight: 3024lm // 25,7W // 118lm/W

For detailed installation instructions, please consult the manual : **29323_XXXW_HAND.pdf**

COMPATIBLE LUMINAIRES

SPLITLINE M20/SHIFTLINE M26H - ODRON




26216 9200 M20/M26H - ODRON 1 92728/41 MDL

DELTALIGHT


SLM26H F 927 MDL WD

29323 920W B




26216 9300 M20/M26H - ODRON 1 93028/41 MDL

SPLITLINE M20/SHIFTLINE M26H - ODRON 2




26218 9200 M20/M26H - ODRON 2 92728/41 MDL




26218 9300 M20/M26H - ODRON 2 93028/41 MDL


SPLITLINE M20/SHIFTLINE M26H - SPY 39




23315 9220 M20/M26H - SPY 391 92720 MDL



23315 9230 M20/M26H - SPY 391 92740 MDL




23315 9320 M20/M26H - SPY 391 93020 MDL




23315 9330 M20/M26H - SPY 391 93040 MDL

SPLITLINE M20/SHIFTLINE M26H - SPY 39 2



23317 9220 M20/M26H - SPY 392 92720 MDL




23317 9230 M20/M26H - SPY 392 92740 MDL


DELTALIGHT

SLM26H F 927 MDL WD

29323 920W B



23317 9320 M20/M26H - SPY 392 93020 MDL



23317 9330 M20/M26H - SPY 392 93040 MDL

Notes: