




SLM26H F 927 MDL WD

29323 920W B

DISPONIBILE IN
NERO 29323 920W B



[Visualizza sul sito web](#)



Informazioni generali

AMBIENTE	indoor
IP	Pavimento Piantana
PROTEZIONE DELL'INGRESSO	IP20
PESO (KG)	6.9
INFORMAZIONI	INCL.POWER ADAPTER 48V-DC / 50W PLUG-IN INCL.FOOT SWITCH ON/OFF

Informazioni elettriche

ELETTRICO	100-240V / 50-60Hz
CLASSE DI ISOLAMENTO	II
ALIMENTATORE	YES
TIPO DI DIMMERAZIONE	WDL = dimmerabile senza fili
CLASSE ENERGETICA	F


Informazioni sulla Sorgente luminosa

LIGHTSOURCE NAME	LED
SORGENTE LUMINOSA	Backlight LED FLEX 25,7W / CRI>90 / 2700K / 3023lm
SPECIFICHE TECNICHE (SORGENTE LUMINOSA)	Backlight: 3024lm // 25,7W // 118lm/W

Per istruzioni di installazione dettagliate, consultare il manuale : [29323_XXXW_HAND.pdf](#)

APPARECCHI COMPATIBILI

SPLITLINE M20/SHIFTLINE M26H - ODRON




26216 9200 M20/M26H - ODRON 1 92728/41 MDL

DELTALIGHT

SLM26H F 927 MDL WD


29323 920W B



Technical drawing of the SLM26H F 927 MDL WD. It shows a side view of the lamp head with dimensions: 170, 43, 143, 160, 24, 7, 0.90°, 355°. A circular detail shows a Ø60 hole and a Ø38 hole.


26216 9300 M20/M26H - ODRON 1 93028/41 MDL

SPLITLINE M20/SHIFTLINE M26H - ODRON 2



Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - ODRON 2. It shows a side view of the lamp head with dimensions: 170, 43, 143, 160, 24, 7, 0.90°, 355°. A circular detail shows a Ø60 hole and a Ø38 hole.


26218 9200 M20/M26H - ODRON 2 92728/41 MDL



Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - ODRON 2. It shows a side view of the lamp head with dimensions: 170, 43, 143, 160, 24, 7, 0.90°, 355°. A circular detail shows a Ø60 hole and a Ø38 hole.


26218 9300 M20/M26H - ODRON 2 93028/41 MDL

SPLITLINE M20/SHIFTLINE M26H - SPY 39




Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - SPY 39. It shows a side view of the lamp head with dimensions: 166, 155, 44, 16, 133, 92, 0.85°/355°.

23315 9220 M20/M26H - SPY 391 92720 MDL




Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - SPY 39. It shows a side view of the lamp head with dimensions: 166, 155, 44, 16, 133, 92, 0.85°/355°.

23315 9230 M20/M26H - SPY 391 92740 MDL



Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - SPY 39. It shows a side view of the lamp head with dimensions: 166, 155, 44, 16, 133, 92, 0.85°/355°.


23315 9320 M20/M26H - SPY 391 93020 MDL



Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - SPY 39. It shows a side view of the lamp head with dimensions: 166, 155, 44, 16, 133, 92, 0.85°/355°.


23315 9330 M20/M26H - SPY 391 93040 MDL

SPLITLINE M20/SHIFTLINE M26H - SPY 39 2



Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - SPY 39 2. It shows a side view of the lamp head with dimensions: 166, 155, 44, 16, 133, 92, 0.85°/355°.

23317 9220 M20/M26H - SPY 392 92720 MDL



Technical drawing of the SPLITLINE M20/SHIFTLINE M26H - SPY 39 2. It shows a side view of the lamp head with dimensions: 166, 155, 44, 16, 133, 92, 0.85°/355°.

23317 9230 M20/M26H - SPY 392 92740 MDL

DELTALIGHT

SLM26H F 927 MDL WD

29323 920W B



23317 9320 M20/M26H - SPY 392 93020 MDL



0-85°/350°



23317 9330 M20/M26H - SPY 392 93040 MDL



0-85°/350°

Notes: