
DELTALIGHT




OMNILINER 50 CT P1968 PRISMATIC LENS HE 940 DIM5

REFERENCE 31965 9405 W

AVAILABLE IN
ALU ANODIZED 31965 9405 ANO
BLACK 31965 9405 B
WHITE 31965 9405 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	0
ADJUSTABILITY	non adjustable
INFORMATION	INCL.DIMMABLE LED POWER SUPPLY (DALI-2 standard) INCL.48V TRACK 100W INCL.2 x CABLE SUSPENSION SINGLE AUTO. 3,0m INCL.1 x CABLE 5 x 0.75mm² INCL.CABLE BASE

Electrical info	
ELECTRICAL	220-240V / 0|50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	D

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 29,2W / CRI>90 (R9: 50) / 4000K / 4990lm
TM-30 VALUES	Rf: 90 / Rg: 101
SDCM	SDCM3
RISKGROUP	RG1
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	4990lm // 29,2W // 171lm/W
LED TECHNICS (LUMINAIRE)	3917lm // 33,6W // 117lm/W

Requirements

SPY FOR OMNILINER TRACK


For detailed installation instructions, please consult the manual : **31965_XXX5_HAND.pdf**

OMNILINER 50 CT P1968 PRISMATIC LENS HE 940 DIM5

31965 9405 W

FINISH YOUR SPECIFICATION

LED modules



31150 9305 B OML50 CT - SPY 39 FOCUS 930 DIM5 B ☐


Dimtype: DALI



31150 9305 BRA	OML50 CT - SPY 39 FOCUS 930 DIM5 BRA	☐
31150 9305 BRAT	OML50 CT - SPY 39 FOCUS 930 DIM5 BRAT	☐
31150 9305 BRCU	OML50 CT - SPY 39 FOCUS 930 DIM5 BRCU	☐
31150 9305 BRG	OML50 CT - SPY 39 FOCUS 930 DIM5 BRG	☐
31150 9305 BROB	OML50 CT - SPY 39 FOCUS 930 DIM5 BROB	☐
31150 9305 FBR	OML50 CT - SPY 39 FOCUS 930 DIM5 FBR	☐
31150 9305 FG	OML50 CT - SPY 39 FOCUS 930 DIM5 FG	☐
31150 9305 GC	OML50 CT - SPY 39 FOCUS 930 DIM5 GC	☐
31150 9305 W	OML50 CT - SPY 39 FOCUS 930 DIM5 W	☐
31150 9405 B	OML50 CT - SPY 39 FOCUS 940 DIM5 B	☐
31150 9405 BRA	OML50 CT - SPY 39 FOCUS 940 DIM5 BRA	☐
31150 9405 BRAT	OML50 CT - SPY 39 FOCUS 940 DIM5 BRAT	☐
31150 9405 BRCU	OML50 CT - SPY 39 FOCUS 940 DIM5 BRCU	☐
31150 9405 BRG	OML50 CT - SPY 39 FOCUS 940 DIM5 BRG	☐
31150 9405 BROB	OML50 CT - SPY 39 FOCUS 940 DIM5 BROB	☐

OMNILINER 50 CT P1968 PRISMATIC LENS HE 940 DIM5

31965 9405 W

	31150 9405 FBR OML50 CT - SPY 39 FOCUS 940 DIM5 FBR	☐
	31150 9405 FG OML50 CT - SPY 39 FOCUS 940 DIM5 FG	☐
	31150 9405 GC OML50 CT - SPY 39 FOCUS 940 DIM5 GC	☐
	31150 9405 W OML50 CT - SPY 39 FOCUS 940 DIM5 W	☐
	**31151 9325 B** OML50 CT - SPY 39 93020 DIM5 B **Dimtype: DALI**	☐
	31151 9325 BRA OML50 CT - SPY 39 93020 DIM5 BRA	☐
	31151 9325 BRAT OML50 CT - SPY 39 93020 DIM5 BRAT	☐
	31151 9325 BRCU OML50 CT - SPY 39 93020 DIM5 BRCU	☐
	31151 9325 BRG OML50 CT - SPY 39 93020 DIM5 BRG	☐
	31151 9325 BROB OML50 CT - SPY 39 93020 DIM5 BROB	☐
	31151 9325 FBR OML50 CT - SPY 39 93020 DIM5 FBR	☐
	31151 9325 FG OML50 CT - SPY 39 93020 DIM5 FG	☐
	31151 9325 GC OML50 CT - SPY 39 93020 DIM5 GC	☐
	31151 9325 W OML50 CT - SPY 39 93020 DIM5 W	☐
	31151 9335 B OML50 CT - SPY 39 93040 DIM5 B	☐
	31151 9335 BRA OML50 CT - SPY 39 93040 DIM5 BRA	☐
	31151 9335 BRAT OML50 CT - SPY 39 93040 DIM5 BRAT	☐
	31151 9335 BRCU OML50 CT - SPY 39 93040 DIM5 BRCU	☐


OMNILINER 50 CT P1968 PRISMATIC LENS HE 940 DIM5

31965 9405 W

31151 9335 BRG	OML50 CT - SPY 39 93040 DIM5 BRG
31151 9335 BROB	OML50 CT - SPY 39 93040 DIM5 BROB
31151 9335 FBR	OML50 CT - SPY 39 93040 DIM5 FBR
31151 9335 FG	OML50 CT - SPY 39 93040 DIM5 FG
31151 9335 GC	OML50 CT - SPY 39 93040 DIM5 GC
31151 9335 W	OML50 CT - SPY 39 93040 DIM5 W
31151 9425 B	OML50 CT - SPY 39 94020 DIM5 B
31151 9425 BRA	OML50 CT - SPY 39 94020 DIM5 BRA
31151 9425 BRAT	OML50 CT - SPY 39 94020 DIM5 BRAT
31151 9425 BRCU	OML50 CT - SPY 39 94020 DIM5 BRCU
31151 9425 BRG	OML50 CT - SPY 39 94020 DIM5 BRG
31151 9425 BROB	OML50 CT - SPY 39 94020 DIM5 BROB
31151 9425 FBR	OML50 CT - SPY 39 94020 DIM5 FBR
31151 9425 FG	OML50 CT - SPY 39 94020 DIM5 FG
31151 9425 GC	OML50 CT - SPY 39 94020 DIM5 GC
31151 9425 W	OML50 CT - SPY 39 94020 DIM5 W
31151 9435 B	OML50 CT - SPY 39 94040 DIM5 B
31151 9435 BRA	OML50 CT - SPY 39 94040 DIM5 BRA
31151 9435 BRAT	OML50 CT - SPY 39 94040 DIM5 BRAT

OMNILINER 50 CT P1968 PRISMATIC LENS HE 940 DIM5

31965 9405 W

31151 9435 BRCU	OML50 CT - SPY 39 94040 DIM5 BRCU	☐
31151 9435 BRG	OML50 CT - SPY 39 94040 DIM5 BRG	☐
31151 9435 BROB	OML50 CT - SPY 39 94040 DIM5 BROB	☐
31151 9435 FBR	OML50 CT - SPY 39 94040 DIM5 FBR	☐
31151 9435 FG	OML50 CT - SPY 39 94040 DIM5 FG	☐
31151 9435 GC	OML50 CT - SPY 39 94040 DIM5 GC	☐
31151 9435 W	OML50 CT - SPY 39 94040 DIM5 W	☐
 **31152 9315 B**	OML50 CT - SPY 66 93018 DIM5 B	☐
Dimtype: DALI		
31152 9315 W	OML50 CT - SPY 66 93018 DIM5 W	☐
31152 9325 B	OML50 CT - SPY 66 93030 DIM5 B	☐
31152 9325 W	OML50 CT - SPY 66 93030 DIM5 W	☐
31152 9335 B	OML50 CT - SPY 66 93045 DIM5 B	☐
31152 9335 W	OML50 CT - SPY 66 93045 DIM5 W	☐
31152 9415 B	OML50 CT - SPY 66 94018 DIM5 B	☐
31152 9415 W	OML50 CT - SPY 66 94018 DIM5 W	☐
31152 9425 B	OML50 CT - SPY 66 94030 DIM5 B	☐
31152 9425 W	OML50 CT - SPY 66 94030 DIM5 W	☐
31152 9435 B	OML50 CT - SPY 66 94045 DIM5 B	☐

DELTALIGHT

OMNILINER 50 CT P1968 PRISMATIC LENS HE 940 DIM5

31965 9405 W

31152 9435 W	OML50 CT - SPY 66 94045 DIM5 W	☐

Notes: