


20612 9305 B



Requirements
SUSPENSION SET 25 DIM 3m
CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m
CENTRAL SUSPENSION SUPERNOVA FLAT
Options
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
WIRELESS CONTROL DIM5

DELTALIGHT


SUPERNOVA FLAT 65 DOWN-UP 930 DIM5

20612 9305 B


For detailed installation instructions, please consult the manual : [20612_XXX5_HAND.pdf](#)

FINISH YOUR SPECIFICATION


Current supply

	☐
203 99 55 ANO CABLE BASE R ANO	
203 99 55 B CABLE BASE R B	☐
203 99 55 W CABLE BASE R W	☐
	☐
203 99 56 ANO CABLE BASE S ANO	
203 99 56 B CABLE BASE S B	☐
203 99 56 W CABLE BASE S W	☐

Miscellaneous control equipment

	☐
300 90 004 ED5 WIRELESS CONTROL DIM5	
Dimtype: WDL = wireless dimmable	
Cutout dimension (mm): 45	






Coversets

	☐
204 00 62 ANO COVERSET R 62 ANO	
204 00 62 B COVERSET R 62 B	☐

DELTALIGHT

SUPERNOVA FLAT 65 DOWN-UP 930 DIM5

20612 9305 B

	<u>204 00 62 W</u>	COVERSET R 62 W	☐
	<u>204 00 90 ANO</u>	COVERSET R 90 ANO	☐
	<u>204 00 90 B</u>	COVERSET R 90 B	☐
	<u>204 00 90 W</u>	COVERSET R 90 W	☐
	<u>204 00 100 ANO</u>	COVERSET R 100 ANO	☐
	<u>204 00 100 B</u>	COVERSET R 100 B	☐
	<u>204 00 100 W</u>	COVERSET R 100 W	☐
	<u>204 62 62 ANO</u>	COVERSET S 62 ANO	☐
	<u>204 62 62 B</u>	COVERSET S 62 B	☐
	<u>204 62 62 W</u>	COVERSET S 62 W	☐
	<u>204 80 80 ANO</u>	COVERSET S 80 ANO	☐
	<u>204 80 80 B</u>	COVERSET S 80 B	☐
	<u>204 80 80 W</u>	COVERSET S 80 W	☐
	<u>204 90 90 ANO</u>	COVERSET S 90 ANO	☐
	<u>204 90 90 B</u>	COVERSET S 90 B	☐

DELTA

LIGHT

SUPERNOVA FLAT 65 DOWN-UP 930 DIM5


20612 9305 B

204 90 90 W

COVERSET S 90 W

☐

Suspension parts




274 97 10 B

CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m B

☐


274 97 10 W

CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m W

☐

328 25 43 ED

SUSPENSION SET 25 DIM 3m

☐

328 26 23 B

CENTRAL SUSPENSION SUPERNOVA FLAT 3m B

☐

328 26 23 W

CENTRAL SUSPENSION SUPERNOVA FLAT 3m W

☐

Electric connection parts



15225 0360 B

CONNECTION ST B

☐

Cutout dimension (mm): 43

15225 0360 W

CONNECTION ST W

☐

Notes: