



TOUPE AC 930 ADM DIM8

100061 9308 W

AVAILABLE IN
BLACK 100061 9308 B
WHITE 100061 9308 W



[View on website](#)




General info	
LOCATION	indoor
INSTALLATION	Mains voltage track Mains voltage track mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.6
ADJUSTABILITY	non adjustable
INFORMATION	INCL.1 x CABLE 3 x 0.75mm² 1,6m EXCL. TOUPE SHADE
Electrical info	
ELECTRICAL	230V / 50-60Hz
CLASS	I
DIM TYPE	mains (phase cut-off)
ENERGY CLASS	G
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	AC LED array 8W / CRI>90 (R9: 54) / 3000K / 630lm
TM-30 VALUES	rf: 91 / Rg: 98
SDCM	SDCM3
RISKGROUP	RG1
LM80	L80B10 > 67000
LED TECHNICS (LIGHT SOURCE)	630lm // 8W // 79lm/W
LED TECHNICS (LUMINAIRE)	452lm // 8W // 57lm/W
Requirements	
TOUPE SHADE	
Options	
CABLE CLAMP	

For detailed installation instructions, please consult the manual : [100061_XXX8_HAND.pdf](#)

FINISH YOUR SPECIFICATION

Suspension parts



15229 0010 B

CABLE CLAMP B

☐

Finish your product



28700 0010 B


TOUPE SHADE S B

☐

28700 0010 W

TOUPE SHADE S W

☐



28700 0020 B


TOUPE SHADE M B

☐

28700 0020 W

TOUPE SHADE M W

☐



28700 0030 B

TOUPE SHADE L B

☐

28700 0030 W

TOUPE SHADE L W

☐

COMPATIBLE TRACKS

TRACK 3F ON

Available Colours

28900 0020	TRACK 3F ON 2m	2000 m	1.8 kg	
28900 0030	TRACK 3F ON 3m	3000 m	2.7 kg	

DELTALIGHT

TOUPE AC 930 ADM DIM8

100061 9308 W

Notes: