
DELTALIGHT



SPM52 - PROFILE

REFERENCE 24413 0000 B

AVAILABLE IN
BLACK 24413 0000 B




View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed,Wall Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - 121 x (L + 5)
RECESSED DEPTH (MM)	150
THICKNESS OF MOUNTING SURFACE (MM)	max.12
WEIGHT (KG)	3.7
INFORMATION	MAX.L / PROFILE : 3m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)


For detailed installation instructions, please consult the manual : **24413_0000_HAND.pdf**

COMPATIBLE PARTS


Corners



420 06 01 SPM - CORNER 180°



420 52 06 06 SPM52 - CORNER SET 90°




420 52 06 17 SPM52 - CORNER SET V90°


SPM52 - PROFILE

24413 0000 B


Current supply




420 99 01 SPM - CONNECTOR 48V - 180°



420 99 02 SPM - CONNECTOR 48V - 0-180°




420 99 03 SPM - SUPPLY 48V




21032 0030 SMART 48 MODULATOR PLUG-IN WD

End caps




420 52 03 01 SPM52 - END CAP SET

Fixation components




420 52 98 01 SPM52 - SUSPENSION BRACKET


LED power supplies



300 89 48 90 LED POWER SUPPLY 48V-DC / 90W




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN




300 89 48 150 LED POWER SUPPLY 48V-DC / 150W

SPM52 - PROFILE


24413 0000 B



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN




21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W

Profile




24413 0000 SPM52 - PROFILE

SMART 48




300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD


Special components



200 12 01 TRACK 3F DIM CUTTING TOOL




21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)

SPM52 - PROFILE


24413 0000 B




21032 0190 M - WIRELESS SENSOR HUB

COMPATIBLE LUMINAIRES

DUMMY




421 158 811 92 MDL M52 - SPY FOCUS 927 MDL




421 158 811 93 MDL M52 - SPY FOCUS 930 MDL

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5

SPLITLINE M/SHIFTLINE M - GIBBO




421 622 811 920 MDL M - GIBBO 927 MDL




421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C



22539 9235 M - HEDRA 39 C 92745 DIM5




22539 9335 M - HEDRA 39 C 93045 DIM5


SPM52 - PROFILE

24413 0000 B

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C




421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL




421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL

SPLITLINE M52 - 2 LED




421 248 2822 MDL M52 - 2 LED OK 82720 MDL




421 248 2832 MDL M52 - 2 LED OK 83020 MDL

SPLITLINE M52 - LED




421 228 811 922 D MDL M52 - 1 LED D 92733 MDL




421 228 811 932 D MDL M52 - 1 LED D 93033 MDL

SPLITLINE M52 - MIDISPY




421 138 272 822 MDL M52 - MIDISPY 82720 MDL



421 138 272 832 MDL M52 - MIDISPY 83020 MDL


SPLITLINE M52 - SPY




421 148 811 921 MDL M52 - SPY 92718 MDL

SPM52 - PROFILE


24413 0000 B



421 148 811 922 MDL M52 - SPY 92733 MDL




421 148 811 931 MDL M52 - SPY 93018 MDL




421 148 811 932 MDL M52 - SPY 93033 MDL

SPLITLINE M52 - SPY 39




24454 9025 M52 - SPY 391 SOFT 93020 DIM5




24454 9035 M52 - SPY 391 SOFT 93040 DIM5

SPLITLINE M52 - SPY 39 L




24456 9025 M52 - SPY 391 L SOFT 93020 DIM5




24456 9035 M52 - SPY 391 L SOFT 93040 DIM5

SPLITLINE M52 - SPY 52




24452 9025 M52 - SPY 52 SOFT 93020 DIM5



24452 9035 M52 - SPY 52 SOFT 93045 DIM5


SPM52 - PROFILE

24413 0000 B




24452 9045 M52 - SPY 52 SOFT 93030 DIM5


SPLITLINE M52 - SPY 66



24446 9015 M52 - SPY 66 TW 96518 DIM5




24446 9025 M52 - SPY 66 TW 96530 DIM5




24446 9035 M52 - SPY 66 TW 96545 DIM5

SPLITLINE M52 - SPY FOCUS



24429 9205 M52 - SPY FOCUS LP 927 DIM5



24429 9305 M52 - SPY FOCUS LP 930 DIM5

Notes: