DELTALIGHT



SPM52 - PROFILE

PRODUCTREFERENTIE 24413 0000 B

BESCHIKBAAR IN
ZWART 24413 0000 B



Bekijk op website

Algemene info	
LOCATIE	binnen
INSTALLATIE	Plafond Inbouw,Wand Inbouw
ZAAGMAAT/OPENING (MM)	rechthoekig - 121 x (L + 5)
INBOUWDIEPTE (MM)	150
DIKTE MONTAGEOPPERVLAK (MM)	max.12
GEWICHT (KG)	3.7
INFO	MAX.L / PROFILE : 3m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)

Voor gedetailleerde montage gegevens, consulteer de handleiding : **24413_0000_HAND.pdf**

COMPATIBELE ONDERDELEN

Bevestigingscomponenten



420 52 98 01 SPM52 - SUSPENSION BRACKET

Eindstukken



420 52 03 01 SPM52 - END CAP SET

SPM52 - PROFILE

24413 0000 B

Extra componenten



200 12 01 TRACK 3F DIM CUTTING TOOL



21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)



21032 0190 M - WIRELESS SENSOR HUB

Hoekverbindingen



420 06 01 SPM - CORNER 180°



420 52 06 06 SPM52 - CORNER SET 90°



420 52 06 17 SPM52 - CORNER SET V90°

LED voedingen



300 89 48 90 LED POWER SUPPLY 48V-DC / 90W



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

SPM52 - PROFILE

24413 0000 B



300 89 48 150 LED POWER SUPPLY 48V-DC / 150W



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN



21012 0230 LED POWER SUPPLY 48V-DC / 100W



21012 0240 LED POWER SUPPLY 48V-DC / 200W

Profiel



24413 0000 SPM52 - PROFILE

SMART 48



300 90 011 SMART 48 MODULATOR DIM9



300 90 012 SMART 48 MODULATOR WD

Stroomtoevoer



420 99 01 SPM - CONNECTOR 48V - 180°



420 99 02 SPM - CONNECTOR 48V - 0-180°

SPM52 - PROFILE

24413 0000 B



420 99 03 SPM - SUPPLY 48V



21032 0030 SMART 48 MODULATOR PLUG-IN WD

COMPATIBELE ARMATUREN

DUMMY



421 158 811 92 MDL M52 - SPY FOCUS 927 MDL



421 158 811 93 MDL M52 - SPY FOCUS 930 MDL

SPLITLINE M/SHIFTLINE M - CUPPA



28814 9035 M - CUPPA C SOFT 93040 DIM5

SPLITLINE M/SHIFTLINE M - GIBBO



421 622 811 920 MDL M - GIBBO 927 MDL



421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C



22539 9235 M - HEDRA 39 C 92745 DIM5

SPM52 - PROFILE

24413 0000 B



22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C



421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL



421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL

SPLITLINE M52 - 2 LED



421 248 2822 MDL M52 - 2 LED OK 82720 MDL



421 248 2832 MDL M52 - 2 LED OK 83020 MDL

SPLITLINE M52 - LED



421 228 811 922 D MDL M52 - 1 LED D 92733 MDL



421 228 811 932 D MDL M52 - 1 LED D 93033 MDL

SPLITLINE M52 - MIDISPY



421 138 272 822 MDL M52 - MIDISPY 82720 MDL



421 138 272 832 MDL M52 - MIDISPY 83020 MDL

SPM52 - PROFILE

24413 0000 B

SPLITLINE M52 - SPY



421 148 811 921 MDL M52 - SPY 92718 MDL



421 148 811 922 MDL M52 - SPY 92733 MDL



421 148 811 931 MDL M52 - SPY 93018 MDL



421 148 811 932 MDL M52 - SPY 93033 MDL

SPLITLINE M52 - SPY 39



24454 9025 M52 - SPY 391 SOFT 93020 DIM5



24454 9035 M52 - SPY 391 SOFT 93040 DIM5

SPLITLINE M52 - SPY 39 L



24456 9025 M52 - SPY 391 L SOFT 93020 DIM5



24456 9035 M52 - SPY 391 L SOFT 93040 DIM5

SPLITLINE M52 - SPY 52



24452 9025 M52 - SPY 52 SOFT 93020 DIM5

SPM52 - PROFILE

24413 0000 B



24452 9035 M52 - SPY 52 SOFT 93045 DIM5



24452 9045 M52 - SPY 52 SOFT 93030 DIM5

SPLITLINE M52 - SPY 66



24446 9015 M52 - SPY 66 TW 96518 DIM5



24446 9025 M52 - SPY 66 TW 96530 DIM5



24446 9035 M52 - SPY 66 TW 96545 DIM5

SPLITLINE M52 - SPY FOCUS



24429 9205 M52 - SPY FOCUS LP 927 DIM5



24429 9305 M52 - SPY FOCUS LP 930 DIM5

Notes: