



INFORM SQ P282-10 DOWN-UP 83067 B-B

25522 8320 B-B



AVAILABLE IN

BLACK-BLACK 25522 8320 B-B

BLACK-GOLD MATT 25522 8320 B-MMAT

WHITE-BLACK 25522 8320 W-B

WHITE-WHITE 25522 8320 W-W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.2
ADJUSTABILITY	non adjustable
INFORMATION	120 x REFLECTOR FL-67° (DOWN) EXCL.LED POWER SUPPLY 1800mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 1,6m POWER VIA CABLE SUSPENSION MELANOPIC LIGHT TECHNOLOGY

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	B
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 32,8W / CRI>80 (R9: 50) / 3000K / 5628lm UP: LED cluster 26,2W / CRI>80 (R9: 50) / 3000K / 4502lm
TM-30 VALUES	Rf: 85 / Rg: 94
SDCM	SDCM3
RISKGROUP	RG2
LM80	L90 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 5628lm // 32,8W // 171lm/W UP: 4502lm // 26,2W // 171lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 4773lm // 38W // 127lm/W UP: 3034lm // 30W // 101lm/W

Requirements

INFORM SQ POWERBOX 75W (DIM5)

INFORM POWER SUPPLY 100W+ SUSPENSION+CONNECTION ST

INFORM SQ P282-10 DOWN-UP 83067 B-B

25522 8320 B-B

For detailed installation instructions, please consult the manual: [25522_XXX0_HAND.pdf](#)


INFORM SQ P282-10 DOWN-UP 83067 B-B

25522 8320 B-B

FINISH YOUR SPECIFICATION

Power box

#




25510 0020 B INFORM SQ POWERBOX 75W B

1

☐

25510 0020 W INFORM SQ POWERBOX 75W W

1

☐


25510 0025 B INFORM SQ POWERBOX 75W DIM5 B

1

☐


25510 0025 W INFORM SQ POWERBOX 75W DIM5 W

1

☐


LED power supplies

#



25510 0415 INFORM POWER SUPPLY 100W DIM5

1

☐


25510 0460 INFORM POWER SUPPLY 100W

1

☐

Electric connection parts

#



15225 0350 B SUSPENSION + CONNECTION ST B

2 needed

☐

15225 0350 W SUSPENSION + CONNECTION ST W

2 needed

☐

INFORM SQ P282-10 DOWN-UP 83067 B-B

25522 8320 B-B

Notes: