HEDRA / VIZIR 2S



Hedra & Vizir add refinement, finesse and color to the range. They are characterized by an atypical hinge, a design element that not only catches the eye, but also serves as storage for technical parts inside the luminaire. Next to black and white, the Hedra is available in the new Gold Colored anodization and Black Bronze finishes, with faceted texture. The faceted design of the Hedra captures and reflects the ambient light with an ever-changing look as result. Vizir is a smooth cylinder, offered in the same beautiful finishes.

Specification					
LED Aperture	1 ²⁷ / ₃₂ "				
Installation Method:	1/2" EMT or 4" J-Box				
Adjustability:	Adjustable 0-90° / 355°				
Rating:	IP20				

Performance	
LED Maintenance:	L90>50,000h
McAdam Step:	2
CRI:	90
*LP:	2 x 7.1W

Delivered Lumens		2700K	3000K	3500K		
	HEDRA/VIZIR 2S:	782Lm	815Lm	840Lm		

Listing

ETL certified to US and Canadian safety standards.

Warranty

5-year limited warranty.

Ordering ALL BOXES MUST BE FILLED IN TO CORRECTLY ORDER

Example: HDR2S-LP3335A-B-B-FG-NAINCD1-120

Luminaire	Shape	Length	Power*	Optic	ССТ	Function	Finish	Inner Finish	Installation	Application	Controls***
HDR HEDRA (faceted)	2 Double Spot	S Standard	LP Low Power	33 33°	27 2700K	A Adjustable	B-B ⁽¹⁾ Black-Black	B Black	MK Mud kit into drywall over 4" junction box	INC Integral Power Supply	D1-120 0-10V dim 120V
VZR VIZIR (smooth)					30 3000K		BBR-B Black Bronze-Black	FBR Flemish Bronze	NA No optional accessory, utilizing ½" EMT install		
					35 3500K		GC-B Gold Colored-Black	FG Flemish Gold			
							W-W White-White	W White			

1 Black-Black not available for Vizir *** Contact factory for additional dimming options


Related Products

Hedra/Vizir, Hedra PC (pendant), Hedra/Vizir Superloop MDL



Finish Options

HEDRA 2S












VIZIR 2S









INNER FINISH










MK - MUD KIT 1



Requires 4" junction box

Accessories






▼ DELTALIGHT®



Photometric Options

HEDRA / VIZIR 2S



Driver Options

Efficiency @ Full Load

D1

Dimming Control
 Dimming Range
 Dim to off
 Power Factor @ Full Load
 20.97

Dimmer Compatibility

- Leviton IP710-DLZ
- Lutron DVTV-XX

As technology changes, please use information above as guidance. For most recent updated information please contact factory. Specifications subject to change without notice.

3