DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

AVAILABLE IN
BLACK 19811 9230 B
FLEMISH BRONZE 19811 9230 FBR
FLEMISH GOLD 19811 9230 FG
GOLD COLOURED 19811 9230 GC
WHITE 19811 9230 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	80
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 45° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 350-700mA-DC Optional REFLECTORS 20° & 30° available

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, LCA

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-12,4W / CRI>90 (R9: 60) / 2700K / 753-1403lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1403lm // 12,4W // 113lm/W
LED TECHNICS (LUMINAIRE)	898lm // 14W // 63lm/W

Remarks

Max.500mA when using accessories

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

Requirements

SPY 52 TUBE
MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.
MOUNTING KIT AIR 103
LED POWER SUPPLY 350 / 500 / 700mA-DC DIM (Remote)

Accessories

HONEYCOMB 42
SPREAD LENS 42
LINEAR SPREAD LENS 42
SOFTENING LENS 42
GLASS SBL 42

For detailed installation instructions, please consult the manual: **19811_XXX0_HAND.pdf**

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
System ceiling	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Plasterboard	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Stucanet	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Concrete + plaster	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Lintel + plaster	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Hollow-core slab + plaster	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Stretched ceiling	MOUNTING KIT SPY 39/52 TRIMLESS CSC	Required
	MOUNTING KIT SPY 39/52 TRIMLESS WSC	Required
Ventilation in plasterboard	MOUNTING KIT SIDE AIR 103	Required
	MOUNTING KIT NO AIR 103	Required
	MOUNTING KIT SIDE AIR ONLY 1	Required
Ventilation in concrete + plaster	MOUNTING KIT NO AIR 103	Required
	MOUNTING KIT TOP AIR ONLY 1	Required
	MOUNTING KIT TOP AIR 103	Required

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(4) / 1->4(3) ☐
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1) / 1->2(1) ☐
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4) / 1->4(3) ☐
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1) / 1(1) ☐
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1) / 1(1) ☐
	**21012 0010**	LED POWER SUPPLY MULTI POWER	1->2 / 1->2 / 1->2 ☐
	**21012 0021**	LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->2 / 1->2 ☐
	**21012 0035**	LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->2 / 1->2 ☐
	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->2 / 1->2 ☐

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

	**21012 0268**	LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2 / 2->2	☐
	**21012 0278**	LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1 / 1	☐
	**21012 0288**	LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2 / 2->2	☐
	**21012 0298**	LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->2 / 1->2 / 1->2 / 1	☐
	**21012 0308**	LED POWER SUPPLY 350mA / 7,35W DIM8	1	☐
	**21012 0318**	LED POWER SUPPLY 500mA / 10W DIM8	1	☐
	**21012 0328**	LED POWER SUPPLY 700mA / 15W DIM8	1	☐
	**21012 0480**	LED POWER SUPPLY 350mA-DC / 17W IP68	1-2(2)	☐
	**21012 0490**	LED POWER SUPPLY 700mA-DC / 30W IP68	1-2(1)	☐
	**21012 0500**	LED POWER SUPPLY 500mA-DC / 24W IP68	1-2(1)	☐

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 1->2



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 1->2



21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5 1->2

Mounting kits



15212 2030 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.

Mounting kits stretched ceiling



15212 0080 MOUNTING KIT SPY 39/52 TRIMLESS CSC

15212 0160 MOUNTING KIT SPY 39/52 TRIMLESS WSC

Mounting kits side air + light



29810 0030 MOUNTING KIT SIDE AIR 103

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

Mounting kits top air + light



29810 0230 MOUNTING KIT TOP AIR 103

Mounting kits side air only



29810 0100 MOUNTING KIT SIDE AIR ONLY 1

Mounting kits top air only



29810 0200 MOUNTING KIT TOP AIR ONLY 1

Mounting kits no air



29810 0070 MOUNTING KIT NO AIR 103

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

Light altering devices



19810 0010 B HONEYCOMB 42 SINGLE USE B



19810 0020 LINEAR SPREAD LENS 42



19810 0030 SPREAD LENS 42

19810 0040 SOFTENING LENS 42



19810 0050 GLASS SBL 42



19810 0060 B HONEYCOMB 42 DOUBLE USE B

DELTALIGHT®

SPY 52 TRIMLESS 92745 B

19811 9230 B

Finish your product

19810 0100 B SPY 52 TUBE B ☐

19810 0100 FBR SPY 52 TUBE FBR ☐

19810 0100 FG SPY 52 TUBE FG ☐

19810 0100 GC SPY 52 TUBE GC ☐

19810 0100 W SPY 52 TUBE W ☐

Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20° ☐



19810 0190 SPY 52 REFLECTOR 45° ☐



19810 0240 SPY 52 REFLECTOR 30° ☐

Notes: