



SPY 52 TRIMLESS SOFT 93045 B

19896 9030 B

AVAILABLE IN


BLACK 19896 9030 B

FLEMISH BRONZE 19896 9030 FBR

FLEMISH GOLD 19896 9030 FG

GOLD COLOURED 19896 9030 GC

WHITE 19896 9030 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	80
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 45° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.DIMMABLE LED POWER SUPPLY 500mA-DC Optional REFLECTORS 20° & 30° available

Electrical info

CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	F

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1038lm // 10,2W // 109lm/W
LED TECHNICS (LUMINAIRE)	664lm // 12W // 57lm/W

Requirements

SPY 52 TUBE
MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.
MOUNTING KIT AIR 103
LED POWER SUPPLY 500mA-DC DIM (Remote)

SPY 52 TRIMLESS SOFT 93045 B
















19896 9030 B

Accessories

- HONEYCOMB 42
- SPREAD LENS 42
- LINEAR SPREAD LENS 42
- SOFTENING LENS 42
- GLASS SBL 42

For detailed installation instructions, please consult the manual: [19896_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit		
 System ceiling		MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Plasterboard		MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Stucanet		MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Concrete + plaster		MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Lintel + plaster		MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Hollow-core slab + plaster		MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
 Stretched ceiling		MOUNTING KIT SPY 39/52 TRIMLESS CSC	Required
		MOUNTING KIT SPY 39/52 TRIMLESS WSC	Required


SPY 52 TRIMLESS SOFT 93045 B

19896 9030 B

FINISH YOUR SPECIFICATION

LED power supplies


#



300 90 63

LED POWER SUPPLY MULTI-POWER DIM9


1->3 (3)

☐


300 90 68

LED POWER SUPPLY MULTI-POWER DIM5


1->2 (1)

☐


300 90 69

LED POWER SUPPLY MULTI-POWER HV DIM9


1->5 (3)

☐


300 90 124

LED POWER SUPPLY MULTI-POWER DIM7


1->1 (1)

☐


300 90 125

LED POWER SUPPLY MULTI-POWER MINI DIM5


1->1 (1)

☐


21012 0010

LED POWER SUPPLY MULTI POWER


1->2

☐


21012 0021

LED POWER SUPPLY MULTI POWER DIM1


1->2

☐


21012 0035

LED POWER SUPPLY MULTI POWER DIM5

1->2

☐


21012 005W


LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->2

☐


SPY 52 TRIMLESS SOFT 93045 B

19896 9030 B




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1->1

☐



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2

☐


21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->1


☐


21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->2

☐


Mounting kits



15212 2030 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.

☐

Mounting kits stretched ceiling









15212 0080 MOUNTING KIT SPY 39/52 TRIMLESS CSC

☐


15212 0160 MOUNTING KIT SPY 39/52 TRIMLESS WSC

☐


Light altering devices

	<div><div>19810 0010 B</div><div>HONEYCOMB 42 SINGLE USE B</div></div>	<input type="checkbox"/>
	<div><div>19810 0020</div><div>LINEAR SPREAD LENS 42</div></div>	<input type="checkbox"/>
	<div><div>19810 0030</div><div>SPREAD LENS 42</div></div>	<input type="checkbox"/>
	<div><div>19810 0040</div><div>SOFTENING LENS 42</div></div>	<input type="checkbox"/>
	<div><div>19810 0050</div><div>GLASS SBL 42</div></div>	<input type="checkbox"/>
	<div><div>19810 0060 B</div><div>HONEYCOMB 42 DOUBLE USE B</div></div>	<input type="checkbox"/>




SPY 52 TRIMLESS SOFT 93045 B

19896 9030 B

Finish your product

 <div><div>40</div><div>19810 0100 B</div><div>SPY 52 TUBE B</div></div>	<input type="checkbox"/>
<div><div>19810 0100 FBR</div><div>SPY 52 TUBE FBR</div></div>	<input type="checkbox"/>
<div><div>19810 0100 FG</div><div>SPY 52 TUBE FG</div></div>	<input type="checkbox"/>
<div><div>19810 0100 GC</div><div>SPY 52 TUBE GC</div></div>	<input type="checkbox"/>
<div><div>19810 0100 W</div><div>SPY 52 TUBE W</div></div>	<input type="checkbox"/>

Replaceable reflector / lens

 <div><div>18</div><div>19810 0180</div><div>SPY 52 REFLECTOR 20°</div></div>	<input type="checkbox"/>
 <div><div>18</div><div>19810 0190</div><div>SPY 52 REFLECTOR 45°</div></div>	<input type="checkbox"/>
 <div><div>18</div><div>19810 0240</div><div>SPY 52 REFLECTOR 30°</div></div>	<input type="checkbox"/>

Notes: