




## SPYCO CLIP AC 92733 DIM8

19918 9228 W

AVAILABLE IN  
**BLACK** 19918 9228 B  
**WHITE** 19918 9228 W



[View on website](#)



### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Ceiling Semi-recessed
<b>CUTOUT SHAPE/SIZE (MM)</b>	round - 51
<b>RECESSED DEPTH (MM)</b>	40
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.3
<b>ADJUSTABILITY</b>	0° to 90° swiveling, 350° rotatable
<b>INFORMATION</b>	REFLECTOR FL-33° BLACK version: INCL.SPY TUBE S B / WHITE version: INCL.SPY TUBE S W

### Electrical info

<b>ELECTRICAL</b>	230V / 50-60Hz
<b>CLASS</b>	I
<b>DIM TYPE</b>	mains (phase cut-off)
<b>ENERGY CLASS</b>	G

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	AC LED array 8W / CRI>90 (R9: 55) / 2700K / 597lm
<b>TM-30 VALUES</b>	rf: 92 / Rg: 98
<b>SDCM</b>	SDCM3
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L80B10 > 67000
<b>BEAMANGLE</b>	33°
<b>LED TECHNICS (LIGHT SOURCE)</b>	597lm // 8W // 75lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	452lm // 8W // 57lm/W

### Accessories

SPY TUBE S







For detailed installation instructions, please consult the manual : [19918\\_XXX8\\_HAND.pdf](#)

# DELTALIGHT

## SPYCO CLIP AC 92733 DIM8


19918 9228 W

### CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Wood	-
 Concrete	-
 Hollow-core slab	-
 Stretched ceiling	-

### FINISH YOUR SPECIFICATION

#### Finish your product

	<b>414 02 00 B</b>	SPY TUBE S B	<input type="checkbox"/>
	<b>414 02 00 FBR</b>	SPY TUBE S FBR	<input type="checkbox"/>
	<b>414 02 00 FG</b>	SPY TUBE S FG	<input type="checkbox"/>
	<b>414 02 00 MMAT</b>	SPY TUBE S MMAT	<input type="checkbox"/>
	<b>414 02 00 SG</b>	SPY TUBE S SG	<input type="checkbox"/>
	<b>414 02 00 W</b>	SPY TUBE S W	<input type="checkbox"/>

# DELTALIGHT

## **SPYCO CLIP AC 92733 DIM8**

19918 9228 W

Notes: