DELTALIGHT®

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR

AVAILABLE IN
BLACK 202 144 811 922 B
BRUSHED ALU 202 144 811 922 BRA
BRUSHED ANTHRACITE 202 144 811 922 BRAT
BRUSHED COPPER 202 144 811 922 BRCU
BRUSHED GOLD 202 144 811 922 BRG
BRUSHED OLD BRONZE 202 144 811 922 BROB
FLEMISH BRONZE 202 144 811 922 FBR
FLEMISH GOLD 202 144 811 922 FG
GOLD COLOURED 202 144 811 922 GC
PIANO BLACK 202 144 811 922 PB
WHITE 202 144 811 922 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	95
INGRESS PROTECTION	IP23/20
WEIGHT (KG)	0.3
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-33° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	792lm // 10W // 80lm/W

DELTALIGHT®

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR

Requirements

MOUNTING KIT R82 TRIMLESS O.F.A.
MOUNTING KIT AIR 101
LED POWER SUPPLY 350 / 500mA-DC DIM (Remote)

For detailed installation instructions, please consult the manual: **202_144_811_XXX_HAND.pdf**

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
System ceiling	MOUNTING KIT R82 TRIMLESS O.F.A.	Required
Plasterboard	MOUNTING KIT R82 TRIMLESS O.F.A.	Required
Stucanet	MOUNTING KIT R82 TRIMLESS O.F.A.	Required
Concrete + plaster	MOUNTING KIT R82 TRIMLESS O.F.A.	Required
Lintel + plaster	MOUNTING KIT R82 TRIMLESS O.F.A.	Required
Hollow-core slab + plaster	MOUNTING KIT R82 TRIMLESS O.F.A.	Required
Stretched ceiling	MOUNTING KIT R82 TRIMLESS CSC	Required
	MOUNTING KIT R82 TRIMLESS WSC	Required
Ventilation in plasterboard	MOUNTING KIT SIDE AIR 101	Required
	MOUNTING KIT NO AIR 101	Required
	MOUNTING KIT SIDE AIR ONLY 1	Required
Ventilation in concrete + plaster	MOUNTING KIT NO AIR 101	Required
	MOUNTING KIT TOP AIR ONLY 1	Required
	MOUNTING KIT TOP AIR 101	Required

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B

21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

DELTALIGHT®

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR

LED power supplies			#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->3(3) / 1->3(3)
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	1->2(1) / 1->2(1)
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	2->5(5) / 1->5(3)
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	1->2(1) / 1(1)
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(1) / 1(1)
	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2 / 1->2
	**21012 0258**	LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	1
	**21012 0278**	LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1
	**21012 0288**	LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR



21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8 — 2 / 1



21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68 — 1-2(2)



21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68 — 1-2(1)



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 — 1



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 — 1

Mounting kits



15212 2000 MOUNTING KIT R82 TRIMLESS O.F.A.

Mounting kits stretched ceiling



15212 0070 MOUNTING KIT R82 TRIMLESS CSC



15212 0150 MOUNTING KIT R82 TRIMLESS WSC

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR

Mounting kits side air + light



29810 0010 MOUNTING KIT SIDE AIR 101

Mounting kits top air + light



29810 0210 MOUNTING KIT TOP AIR 101

Mounting kits side air only



29810 0100 MOUNTING KIT SIDE AIR ONLY 1

Mounting kits top air only



29810 0200 MOUNTING KIT TOP AIR ONLY 1

Mounting kits no air



29810 0050 MOUNTING KIT NO AIR 101

DEEP RINGO TRIMLESS LED 92733 FBR

202 144 811 922 FBR

Notes: