DELTALIGHT®

REO X 93033-65 S2 W

202 2562 811 932 W

AVAILABLE IN
ALU GREY 202 2562 811 932 A
BLACK 202 2562 811 932 B
FLEMISH BRONZE OUTDOOR 202 2562 811 932 FBRX
ANTHRACITE (DARK GREY) 202 2562 811 932 N
WHITE 202 2562 811 932 W





View on website

General info	
LOCATION	indoor-outdoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 76
RECESSED DEPTH (MM)	55
INGRESS PROTECTION	IP65
PROTECTION AGAINST MECHANICAL IMPACT	IK03
WEIGHT (KG)	0.2
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-33° INCL.PC CLEAR EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	D
CERTIFICATES	CB, EAC, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 52) / 3000K / 787-1089lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1089lm // 8,6W // 127lm/W
LED TECHNICS (LUMINAIRE)	887lm // 10W // 90lm/W

Requirements

LED POWER SUPPLY 350 / 500mA-DC DIM

DELTALIGHT®

REO X 93033-65 S2 W

202 2562 811 932 W

For detailed installation instructions, please consult the manual: **202_2562_811_XXX_HAND.pdf**

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit
System ceiling	-
Plasterboard	-
Stucanet	-
Wood	-
Concrete	-
Concrete + plaster	-
Lintel + plaster	-
Hollow-core slab	-
Hollow-core slab + plaster	-
Stretched ceiling	-

DELTALIGHT®

REO X 93033-65 S2 W

202 2562 811 932 W

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B ☐

21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W ☐

DELTALIGHT®

REO X 93033-65 S2 W

202 2562 811 932 W

LED power supplies

			#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(4) ☐
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	1->2(1) / 1->2(1) ☐
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4) ☐
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	1->2(1) / 1(1) ☐
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(1) / 1(1) ☐
	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2 / 1->2 ☐
	**21012 0258**	LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8	1 ☐
	**21012 0278**	LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1 ☐
	**21012 0288**	LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2 ☐

DELTALIGHT®

REO X 93033-65 S2 W

202 2562 811 932 W

	**21012 0298**	LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	2 / 1
	**21012 0480**	LED POWER SUPPLY 350mA-DC / 17W IP68	1-2(2)
	**21012 0500**	LED POWER SUPPLY 500mA-DC / 24W IP68	1-2(1)
	**21032 0295**	LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1
	**21032 0305**	LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1

Notes: