




SUPERLOOP SLIM IN 90 SBL 930 B

20573 9300 B

AVAILABLE IN
BLACK 20573 9300 B
FLEMISH BRONZE 20573 9300 FBR
FLEMISH GOLD 20573 9300 FG
GOLD COLOURED 20573 9300 GC
WHITE 20573 9300 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.9
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 700-900mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 28,2-39W / CRI>90 (R9: 59) / 3000K / 3888-5160lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	5160lm // 39W // 132lm/W
LED TECHNICS (LUMINAIRE)	2285lm // 45W // 51lm/W

Requirements

LED POWER SUPPLY 700 / 900mA-DC DIM
 SUPERLOOP POWERBOX L/H 700mA
 SUPERLOOP POWERBOX H 900mA

Options

CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90
 CONNECTION ST / CONNECTION TRIMLESS
 SUSPENSION ST / SUSPENSION TRIMLESS

Delta Light NV may revise the information and technical data at any time without notice. Version: 02/07/2024



SUPERLOOP SLIM IN 90 SBL 930 B

20573 9300 B



For detailed installation instructions, please consult the manual: [20573_XXX0_HAND.pdf](#)

SUPERLOOP SLIM IN 90 SBL 930 B

20573 9300 B




FINISH YOUR SPECIFICATION




Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	<input type="checkbox"/>
	<u>203 99 55 B</u> CABLE BASE R B	<input type="checkbox"/>
	<u>203 99 55 W</u> CABLE BASE R W	<input type="checkbox"/>
	<u>203 99 56 ANO</u> CABLE BASE S ANO	<input type="checkbox"/>
	<u>203 99 56 B</u> CABLE BASE S B	<input type="checkbox"/>
	<u>203 99 56 W</u> CABLE BASE S W	<input type="checkbox"/>

SUPERLOOP SLIM IN 90 SBL 930 B

20573 9300 B

Power box		#
	321 55 207 ED1 B SUPERLOOP POWERBOX L 700mA DIM1 B	1 <input type="checkbox"/>
	321 55 207 ED1 W SUPERLOOP POWERBOX L 700mA DIM1 W	1 <input type="checkbox"/>
	321 55 307 ED5 B SUPERLOOP POWERBOX H8 700mA DIM5 B	1 <input type="checkbox"/>
	321 55 307 ED5 W SUPERLOOP POWERBOX H8 700mA DIM5 W	1 <input type="checkbox"/>
	20548 0015 B SUPERLOOP POWERBOX H9 900mA DIM5 B	1 <input type="checkbox"/>
	20548 0015 W SUPERLOOP POWERBOX H9 900mA DIM5 W	1 <input type="checkbox"/>

LED power supplies		#
	300 90 128 LED POWER SUPPLY 700mA-DC / 36W DIM1	1 <input type="checkbox"/>
	300 90 129 LED POWER SUPPLY 900mA-DC / 60W DIM5	1 <input type="checkbox"/>
	300 90 131 LED POWER SUPPLY 700mA-DC / 38W DIM5	1 <input type="checkbox"/>



SUPERLOOP SLIM IN 90 SBL 930 B

20573 9300 B



Coversets

	204 00 100 B COVERSET R 100 B	<input type="checkbox"/>
	204 00 100 W COVERSET R 100 W	<input type="checkbox"/>

Suspension parts

	328 10 01 SUSPENSION TRIMLESS O.F.A.	<input type="checkbox"/>
	15225 0340 B SUSPENSION ST B	<input type="checkbox"/>
	15225 0340 W SUSPENSION ST W	<input type="checkbox"/>

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	<input type="checkbox"/>
	15225 0360 B CONNECTION ST B	<input type="checkbox"/>
	15225 0360 W CONNECTION ST W	<input type="checkbox"/>



SUPERLOOP SLIM IN 90 SBL 930 B

20573 9300 B

Notes: