



SUPERLOOP SLIM DOWN 120 SBL 930 FBR

20582 9300 FBR

AVAILABLE IN



BLACK 20582 9300 B

FLEMISH BRONZE 20582 9300 FBR

FLEMISH GOLD 20582 9300 FG

GOLD COLOURED 20582 9300 GC

WHITE 20582 9300 W



[View on website](#)

| General info | |
|-----------------------------|---|
| LOCATION | indoor |
| INSTALLATION | Ceiling Suspended |
| INGRESS PROTECTION | IP20 |
| WEIGHT (KG) | 2.5 |
| ADJUSTABILITY | non adjustable |
| INFORMATION | INCL.PC SBL EXCL.LED POWER SUPPLY 900-1200mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ² |
| Electrical info | |
| CLASS | III |
| DIM TYPE | depending on type of external power supply |
| ENERGY CLASS | E |
| CERTIFICATES | CB, ENEC |
| Lightsource info | |
| LIGHTSOURCE NAME | LED |
| LIGHTSOURCE | LED cluster 36,4-50,3W / CRI>90 (R9: 59) / 3000K / 5022-6665lm |
| SDCM | SDCM3 |
| LM80 | L70 > 30000 |
| LED TECHNICS (LIGHT SOURCE) | 6665lm // 50,3W // 132lm/W |
| LED TECHNICS (LUMINAIRE) | 2951lm // 58W // 51lm/W |

Requirements

LED POWER SUPPLY 900 / 1200mA-DC DIM

SUPERLOOP POWERBOX H 900mA

SUPERLOOP POWERBOX H 1200mA

SUPERLOOP SLIM DOWN 120 SBL 930 FBR

20582 9300 FBR

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS



SUSPENSION ST / SUSPENSION TRIMLESS

For detailed installation instructions, please consult the manual: [20582_XXX0_HAND.pdf](#)

SUPERLOOP SLIM DOWN 120 SBL 930 FBR
 20582 9300 FBR




FINISH YOUR SPECIFICATION




Current supply

| | | |
|--|--|--------------------------|
|  | <u>203 99 55 ANO</u> CABLE BASE R ANO | <input type="checkbox"/> |
| | <u>203 99 55 B</u> CABLE BASE R B | <input type="checkbox"/> |
| | <u>203 99 55 W</u> CABLE BASE R W | <input type="checkbox"/> |
|  | <u>203 99 56 ANO</u> CABLE BASE S ANO | <input type="checkbox"/> |
| | <u>203 99 56 B</u> CABLE BASE S B | <input type="checkbox"/> |
| | <u>203 99 56 W</u> CABLE BASE S W | <input type="checkbox"/> |

SUPERLOOP SLIM DOWN 120 SBL 930 FBR

20582 9300 FBR


| Power box | | # |
|---|---|----------------------------|
|  | 321 55 312 ED1 B SUPERLOOP POWERBOX H8 1200mA DIM1 B | 1 <input type="checkbox"/> |
| | 321 55 312 ED1 W SUPERLOOP POWERBOX H8 1200mA DIM1 W | 1 <input type="checkbox"/> |
|  | 20548 0015 B SUPERLOOP POWERBOX H9 900mA DIM5 B | 1 <input type="checkbox"/> |
| | 20548 0015 W SUPERLOOP POWERBOX H9 900mA DIM5 W | 1 <input type="checkbox"/> |
|  | 20548 0025 B SUPERLOOP POWERBOX H9 1200mA DIM5 B | 1 <input type="checkbox"/> |
| | 20548 0025 W SUPERLOOP POWERBOX H9 1200mA DIM5 W | 1 <input type="checkbox"/> |

| LED power supplies | | # |
|--|---|----------------------------|
|  | 300 90 129 LED POWER SUPPLY 900mA-DC / 60W DIM5 | 1 <input type="checkbox"/> |
|  | 300 90 130 LED POWER SUPPLY 1200mA-DC / 60W DIM5 | 1 <input type="checkbox"/> |
|  | 300 90 132 LED POWER SUPPLY 1200mA-DC / 70W DIM1 | 1 <input type="checkbox"/> |

SUPERLOOP SLIM DOWN 120 SBL 930 FBR

20582 9300 FBR

Coversets




204 00 100 B COVERSET R 100 B

☐


204 00 100 W COVERSET R 100 W

☐

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.

☐


15225 0340 B SUSPENSION ST B

☐

15225 0340 W SUSPENSION ST W

☐

Electric connection parts



328 10 03 CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B CONNECTION ST B

☐

15225 0360 W CONNECTION ST W

☐



SUPERLOOP SLIM DOWN 120 SBL 930 FBR

20582 9300 FBR

Notes: