



## SUPERLOOP SLIM DOWN 120 SBL 930 FG

20582 9300 FG

AVAILABLE IN



**BLACK** 20582 9300 B

**FLEMISH BRONZE** 20582 9300 FBR

**FLEMISH GOLD** 20582 9300 FG

**GOLD COLOURED** 20582 9300 GC

**WHITE** 20582 9300 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 900-1200mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm <sup>2</sup>
Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 36,4-50,3W / CRI>90 (R9: 59) / 3000K / 5022-6665lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	6665lm // 50,3W // 132lm/W
LED TECHNICS (LUMINAIRE)	2951lm // 58W // 51lm/W

### Requirements

LED POWER SUPPLY 900 / 1200mA-DC DIM

SUPERLOOP POWERBOX H 900mA

SUPERLOOP POWERBOX H 1200mA

## **SUPERLOOP SLIM DOWN 120 SBL 930 FG**

20582 9300 FG

### **Options**

---

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS



SUSPENSION ST / SUSPENSION TRIMLESS

For detailed installation instructions, please consult the manual: [20582\\_XXX0\\_HAND.pdf](#)




**SUPERLOOP SLIM DOWN 120 SBL 930 FG**  
 20582 9300 FG




FINISH YOUR SPECIFICATION

Current supply

	<b><u>203 99 55 ANO</u></b> CABLE BASE R ANO	<input type="checkbox"/>
	<b><u>203 99 55 B</u></b> CABLE BASE R B	<input type="checkbox"/>
	<b><u>203 99 55 W</u></b> CABLE BASE R W	<input type="checkbox"/>
	<b><u>203 99 56 ANO</u></b> CABLE BASE S ANO	<input type="checkbox"/>
	<b><u>203 99 56 B</u></b> CABLE BASE S B	<input type="checkbox"/>
	<b><u>203 99 56 W</u></b> CABLE BASE S W	<input type="checkbox"/>

SUPERLOOP SLIM DOWN 120 SBL 930 FG  
20582 9300 FG

Power box		#
	<b>321 55 312 ED1 B</b> SUPERLOOP POWERBOX H8 1200mA DIM1 B	1 <input type="checkbox"/>
	<b>321 55 312 ED1 W</b> SUPERLOOP POWERBOX H8 1200mA DIM1 W	1 <input type="checkbox"/>
	<b>20548 0015 B</b> SUPERLOOP POWERBOX H9 900mA DIM5 B	1 <input type="checkbox"/>
	<b>20548 0015 W</b> SUPERLOOP POWERBOX H9 900mA DIM5 W	1 <input type="checkbox"/>
	<b>20548 0025 B</b> SUPERLOOP POWERBOX H9 1200mA DIM5 B	1 <input type="checkbox"/>
	<b>20548 0025 W</b> SUPERLOOP POWERBOX H9 1200mA DIM5 W	1 <input type="checkbox"/>



LED power supplies		#
	<b>300 90 129</b> LED POWER SUPPLY 900mA-DC / 60W DIM5	1 <input type="checkbox"/>
	<b>300 90 130</b> LED POWER SUPPLY 1200mA-DC / 60W DIM5	1 <input type="checkbox"/>
	<b>300 90 132</b> LED POWER SUPPLY 1200mA-DC / 70W DIM1	1 <input type="checkbox"/>

**SUPERLOOP SLIM DOWN 120 SBL 930 FG**  
20582 9300 FG



Coversets

	<b>204 00 100 B</b> COVERSET R 100 B	<input type="checkbox"/>
	<b>204 00 100 W</b> COVERSET R 100 W	<input type="checkbox"/>

Suspension parts

	<b>328 10 01</b> SUSPENSION TRIMLESS O.F.A.	<input type="checkbox"/>
	<b>15225 0340 B</b> SUSPENSION ST B	<input type="checkbox"/>
	<b>15225 0340 W</b> SUSPENSION ST W	<input type="checkbox"/>

Electric connection parts

	<b>328 10 03</b> CONNECTION TRIMLESS O.F.A.	<input type="checkbox"/>
	<b>15225 0360 B</b> CONNECTION ST B	<input type="checkbox"/>
	<b>15225 0360 W</b> CONNECTION ST W	<input type="checkbox"/>



## **SUPERLOOP SLIM DOWN 120 SBL 930 FG**

20582 9300 FG

Notes: