



SUPERLOOP SLIM DOWN 120 SBL 930 W

20582 9300 W

AVAILABLE IN



BLACK 20582 9300 B

FLEMISH BRONZE 20582 9300 FBR

FLEMISH GOLD 20582 9300 FG

GOLD COLOURED 20582 9300 GC

WHITE 20582 9300 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 900-1200mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²
Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 36,4-50,3W / CRI>90 (R9: 59) / 3000K / 5022-6665lm
SDCM	SDCM3
LM80	L70 > 30000
LED TECHNICS (LIGHT SOURCE)	6665lm // 50,3W // 132lm/W
LED TECHNICS (LUMINAIRE)	2951lm // 58W // 51lm/W

Requirements

LED POWER SUPPLY 900 / 1200mA-DC DIM

SUPERLOOP POWERBOX H 900mA

SUPERLOOP POWERBOX H 1200mA

SUPERLOOP SLIM DOWN 120 SBL 930 W

20582 9300 W

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS



SUSPENSION ST / SUSPENSION TRIMLESS

For detailed installation instructions, please consult the manual: [20582_XXX0_HAND.pdf](#)

SUPERLOOP SLIM DOWN 120 SBL 930 W
 20582 9300 W




FINISH YOUR SPECIFICATION




Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	<input type="checkbox"/>
	<u>203 99 55 B</u> CABLE BASE R B	<input type="checkbox"/>
	<u>203 99 55 W</u> CABLE BASE R W	<input type="checkbox"/>
	<u>203 99 56 ANO</u> CABLE BASE S ANO	<input type="checkbox"/>
	<u>203 99 56 B</u> CABLE BASE S B	<input type="checkbox"/>
	<u>203 99 56 W</u> CABLE BASE S W	<input type="checkbox"/>

SUPERLOOP SLIM DOWN 120 SBL 930 W


20582 9300 W

Power box		#
	321 55 312 ED1 B SUPERLOOP POWERBOX H8 1200mA DIM1 B	1 <input type="checkbox"/>
	321 55 312 ED1 W SUPERLOOP POWERBOX H8 1200mA DIM1 W	1 <input type="checkbox"/>
	20548 0015 B SUPERLOOP POWERBOX H9 900mA DIM5 B	1 <input type="checkbox"/>
	20548 0015 W SUPERLOOP POWERBOX H9 900mA DIM5 W	1 <input type="checkbox"/>
	20548 0025 B SUPERLOOP POWERBOX H9 1200mA DIM5 B	1 <input type="checkbox"/>
	20548 0025 W SUPERLOOP POWERBOX H9 1200mA DIM5 W	1 <input type="checkbox"/>

LED power supplies		#
	300 90 129 LED POWER SUPPLY 900mA-DC / 60W DIM5	1 <input type="checkbox"/>
	300 90 130 LED POWER SUPPLY 1200mA-DC / 60W DIM5	1 <input type="checkbox"/>
	300 90 132 LED POWER SUPPLY 1200mA-DC / 70W DIM1	1 <input type="checkbox"/>

SUPERLOOP SLIM DOWN 120 SBL 930 W
20582 9300 W

Coversets




204 00 100 B COVERSET R 100 B

☐


204 00 100 W COVERSET R 100 W

☐

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.

☐


15225 0340 B SUSPENSION ST B

☐

15225 0340 W SUSPENSION ST W

☐

Electric connection parts



328 10 03 CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B CONNECTION ST B

☐

15225 0360 W CONNECTION ST W

☐



SUPERLOOP SLIM DOWN 120 SBL 930 W

20582 9300 W

Notes: