





SUPERNOVA FLAT 95 PRISMATIC 930 DIM5 W

20637 9305 W

AVAILABLE IN
BLACK 20637 9305 B
WHITE 20637 9305 W



[View on website](#)



General info

| | |
|---------------------------|--|
| LOCATION | indoor |
| INSTALLATION | Ceiling Surface mounted,Ceiling Suspended |
| INGRESS PROTECTION | IP20 |
| WEIGHT (KG) | 15,9 |
| ADJUSTABILITY | non adjustable |
| INFORMATION | INCL.PC PRISMATIC INCL.DIMMABLE LED POWER SUPPLY 1860mA |

Electrical info

| | |
|------------------------------|----------------------|
| ELECTRICAL | 220-240V / 0 50-60Hz |
| CLASS | I |
| POWER SUPPLY INCLUDED | YES |
| DIM TYPE | DALI |
| ENERGY CLASS | D |

Lightsource info

| | |
|------------------------------------|---|
| LIGHTSOURCE NAME | LED |
| LIGHTSOURCE | LED cluster 79,4W / CRI>90 (R9: 68) / 3000K / 11477lm |
| TM-30 VALUES | Rf: 89 / Rg: 97 |
| SDCM | SDCM3 |
| LM80 | L70 > 60000 |
| LED TECHNICS (LIGHT SOURCE) | 11477lm // 79,4W // 144lm/W |
| LED TECHNICS (LUMINAIRE) | 8583lm // 91W // 94lm/W |

Options

SUSPENSION SET 25 DIM 3m
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m
CENTRAL SUSPENSION SUPERNOVA FLAT



SUPERNOVA FLAT 95 PRISMATIC 930 DIM5 W



20637 9305 W

For detailed installation instructions, please consult the manual: [20637_XXX5_HAND.pdf](#)

SUPERNOVA FLAT 95 PRISMATIC 930 DIM5 W
20637 9305 W

FINISH YOUR SPECIFICATION

Current supply


| | | |
|--|--|--------------------------|
|  | <u>203 99 55 ANO</u> CABLE BASE R ANO | <input type="checkbox"/> |
| | <u>203 99 55 B</u> CABLE BASE R B | <input type="checkbox"/> |
| | <u>203 99 55 W</u> CABLE BASE R W | <input type="checkbox"/> |
|  | <u>203 99 56 ANO</u> CABLE BASE S ANO | <input type="checkbox"/> |
| | <u>203 99 56 B</u> CABLE BASE S B | <input type="checkbox"/> |
| | <u>203 99 56 W</u> CABLE BASE S W | <input type="checkbox"/> |

Coversets

| | | |
|--|---|--------------------------|
|  | <u>204 00 100 B</u> COVERSET R 100 B | <input type="checkbox"/> |
| | <u>204 00 100 W</u> COVERSET R 100 W | <input type="checkbox"/> |

SUPERNOVA FLAT 95 PRISMATIC 930 DIM5 W
20637 9305 W


Suspension parts




274 97 10 B CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m B

☐

274 97 10 W CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m W

☐

328 25 43 ED SUSPENSION SET 25 DIM 3m

☐

328 26 23 B CENTRAL SUSPENSION SUPERNOVA FLAT 3m B

☐

328 26 23 W CENTRAL SUSPENSION SUPERNOVA FLAT 3m W

☐

Electric connection parts



15225 0360 B CONNECTION ST B

☐

15225 0360 W CONNECTION ST W

☐

Notes: