





LOGIC 60 R A MOON 93020 B

213 46 10 811 932 B

AVAILABLE IN

ALU ANODIZED 213 46 10 811 932 ANO

BLACK 213 46 10 811 932 B



[View on website](#)

General info

LOCATION	outdoor
INSTALLATION	Floor Recessed
CUTOUT SHAPE/SIZE (MM)	round - 61
RECESSED DEPTH (MM)	100
INGRESS PROTECTION	IP67
PROTECTION AGAINST MECHANICAL IMPACT	IK08
WEIGHT (KG)	0.5
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-20° INCL.1 x CABLE H05 RN-F 2 x 1mm ² 0,5m EXCL.LED POWER SUPPLY 350mA-DC IEC 60598-2-13 : max.150kg 25N/cm ² ESG 5mm

Electrical info

CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	D
CERTIFICATES	CB, EAC, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	787lm // 5,8W // 135lm/W
LED TECHNICS (LUMINAIRE)	353lm // 7W // 53lm/W

Requirements

LED POWER SUPPLY 350mA-DC DIM

LOGIC 60 R A MOON 93020 B

213 46 10 811 932 B

Options

LOGIC 60 BOX R

CBOX

IP68 CONNECTION KIT










IP68 CONNECTOR 3P

For detailed installation instructions, please consult the manual: [213_46_10_811_XXX_HAND.pdf](#)

LOGIC 60 R A MOON 93020 B

213 46 10 811 932 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->4(4)	<input type="checkbox"/>
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(1)	<input type="checkbox"/>
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6)	<input type="checkbox"/>
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	2(2)	<input type="checkbox"/>
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	2(2)	<input type="checkbox"/>
	21012 0010 LED POWER SUPPLY MULTI POWER	1->2	<input type="checkbox"/>
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->2	<input type="checkbox"/>
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->2	<input type="checkbox"/>
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->2	<input type="checkbox"/>


LOGIC 60 R A MOON 93020 B

213 46 10 811 932 B




21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

1 ☐




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

2 ☐



21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1-2(2) ☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1 ☐

Ground mounting boxes







213 19 10 LOGIC 60 BOX R

☐

LOGIC 60 R A MOON 93020 B

213 46 10 811 932 B

Waterproof connection parts		#
 216 12 00 CBOX	<input type="checkbox"/>	
 216 12 01 IP68 CONNECTION KIT	<input type="checkbox"/>	
 216 12 02 IP68 CONNECTOR 3P	<input type="checkbox"/>	
 216 14 35 CBOX 350 mA / 10W	1	<input type="checkbox"/>

Notes: