





HALOSCAN CLIP MP SOFT 93021 B

23118 9020 B

AVAILABLE IN

BLACK 23118 9020 B

WHITE 23118 9020 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed,Ceiling Surface mounted
CUTOUT SHAPE/SIZE (MM)	round - 51
RECESSED DEPTH (MM)	40
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 45° swiveling, 355° rotatable
INFORMATION	LENS FL-21° EXCL.DIMMABLE LED POWER SUPPLY 350mA-DC

Electrical info

CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	623lm // 6W // 105lm/W
LED TECHNICS (LUMINAIRE)	486lm // 7W // 70lm/W

Requirements

LED POWER SUPPLY 350mA-DC DIM

Options

MOUNTING KIT FLUSH SPY

HALOSCAN CLIP MP SOFT 93021 B

















23118 9020 B

Accessories

- HALOSCAN HONEYCOMB
- HALOSCAN LINEAR SPREAD LENS
- HALOSCAN KAP MP

For detailed installation instructions, please consult the manual: [23118_XXX0_HAND.pdf](#)










CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT FLUSH SPY	Required
 Plasterboard	 MOUNTING KIT FLUSH SPY	Required
 Stucanet	 MOUNTING KIT FLUSH SPY	Required
 Wood	-	
 Concrete	-	
 Concrete + plaster	 MOUNTING KIT FLUSH SPY	Required
 Lintel + plaster	 MOUNTING KIT FLUSH SPY	Required
 Hollow-core slab	-	
 Hollow-core slab + plaster	 MOUNTING KIT FLUSH SPY	Required
 Stretched ceiling	-	

HALOSCAN CLIP MP SOFT 93021 B


23118 9020 B

FINISH YOUR SPECIFICATION

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->4(4)	<input type="checkbox"/>
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->2(2)	<input type="checkbox"/>
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6)	<input type="checkbox"/>
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1->2(2)	<input type="checkbox"/>
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2)	<input type="checkbox"/>
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->3	<input type="checkbox"/>
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->3	<input type="checkbox"/>
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3	<input type="checkbox"/>
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2	<input type="checkbox"/>


HALOSCAN CLIP MP SOFT 93021 B

23118 9020 B




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2

☐


21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1


☐


21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->2

☐


Mounting kits




414 90 01 MOUNTING KIT FLUSH SPY

☐


Light altering devices



23110 0040 HALOSCAN LINEAR SPREAD LENS

☐


23110 0050 B HALOSCAN HONEYCOMB B

☐


23110 0060 B HALOSCAN KAP MP B

☐

23110 0060 W HALOSCAN KAP MP W

☐

HALOSCAN CLIP MP SOFT 93021 B

23118 9020 B

Notes: