





## M26L - SPY 27I 92730 MDL B

### 23210 9220 B

AVAILABLE IN  
**BLACK** 23210 9220 B  
**FLEMISH BRONZE** 23210 9220 FBR  
**FLEMISH GOLD** 23210 9220 FG  
**GOLD COLOURED** 23210 9220 GC  
**WHITE** 23210 9220 W



[View on website](#)



#### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.2
<b>ADJUSTABILITY</b>	0° to 85° swiveling, 360° rotatable
<b>INFORMATION</b>	REFLECTOR FL-30° EXCLLED POWER SUPPLY 48V-DC SPY 27 TUBE B included

#### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	MDL = 1-10V or DALI or push button
<b>ENERGY CLASS</b>	D
<b>CERTIFICATES</b>	ENEC, LCA

#### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
<b>TM-30 VALUES</b>	rf: 89 / Rg: 100
<b>SDCM</b>	SDCM1
<b>RISKGROUPE</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	753lm // 5,8W // 129lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	459lm // 7W // 69lm/W

#### Remarks

Take a look at our [MAGNETIC PROFILES movie](#)

#### Requirements

LED POWER SUPPLY 48V-DC

## **M26L - SPY 271 92730 MDL B**

23210 9220 B

### **Options**

---

DIMMABLE MODULATOR

### **Accessories**

---

VISOR 27

For detailed installation instructions, please consult the manual: [23210\\_XXX0\\_HAND.pdf](#)

M26L - SPY 271 92730 MDL B  
23210 9220 B

FINISH YOUR SPECIFICATION

Current supply #



21032 0030 SMART 48 MODULATOR PLUG-IN WD

28 ☐

SMART 48 #



300 90 011 SMART 48 MODULATOR DIM9


28 ☐



300 90 012 SMART 48 MODULATOR WD


28 ☐

LED power supplies #



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

15 ☐



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

36 ☐



21012 0230 LED POWER SUPPLY 48V-DC / 100W

15 ☐



21012 0240 LED POWER SUPPLY 48V-DC / 200W

30 ☐

M26L - SPY 271 92730 MDL B  
23210 9220 B









Light altering devices



**24144 0040 B** VISOR 27 B



COMPATIBLE COMPOSABLES

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)		Available Colours
	<b>23358 0000</b> SLM26L - PROFILE	
	<b>23358 0010</b> SLM26L - PROFILE 1m	
	<b>23358 0020</b> SLM26L - PROFILE 2m	
	<b>23358 0030</b> SLM26L - PROFILE 3m	

Notes: