





M26L - SPY 391 92740 DIM5 B

23259 9235 B

AVAILABLE IN

BLACK 23259 9235 B
BRUSHED ALU 23259 9235 BRA
BRUSHED ANTHRACITE 23259 9235 BRAT
BRUSHED COPPER 23259 9235 BRCU
BRUSHED GOLD 23259 9235 BRG
BRUSHED OLD BRONZE 23259 9235 BROB
FLEMISH BRONZE 23259 9235 FBR
FLEMISH GOLD 23259 9235 FG
GOLD COLOURED 23259 9235 GC
PIANO BLACK 23259 9235 PB
WHITE 23259 9235 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° swiveling, 360° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	E
CERTIFICATES	ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 60) / 2700K / 1041lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	844lm // 10W // 85lm/W

Remarks

Take a look at our MAGNETIC PROFILES movie

M26L - SPY 391 92740 DIM5 B

23259 9235 B

Requirements

SPY 39 TUBE or VISOR 39






LED POWER SUPPLY 48V-DC

For detailed installation instructions, please consult the manual: [23259_XXX5_HAND.pdf](#)

M26L - SPY 391 92740 DIM5 B

23259 9235 B



FINISH YOUR SPECIFICATION

LED power supplies		#
	300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN	10 <input type="checkbox"/>
	300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN	24 <input type="checkbox"/>
	21012 0230 LED POWER SUPPLY 48V-DC / 100W	10 <input type="checkbox"/>
	21012 0240 LED POWER SUPPLY 48V-DC / 200W	20 <input type="checkbox"/>
Light altering devices		
	24144 0030 B VISOR 39 B	<input type="checkbox"/>





M26L - SPY 391 92740 DIM5 B

23259 9235 B

Finish your product

	24144 0010 B SPY 39 TUBE B	<input type="checkbox"/>
	24144 0010 FBR SPY 39 TUBE FBR	<input type="checkbox"/>
	24144 0010 FG SPY 39 TUBE FG	<input type="checkbox"/>
	24144 0010 GC SPY 39 TUBE GC	<input type="checkbox"/>
	24144 0010 W SPY 39 TUBE W	<input type="checkbox"/>
	24144 0070 SPY 39 TUBE SBL	<input type="checkbox"/>

COMPATIBLE COMPOSABLES

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)		Available Colours
	23358 0000 SLM26L - PROFILE	<input type="radio"/> <input type="radio"/>
	23358 0010 SLM26L - PROFILE 1m	<input type="radio"/> <input type="radio"/>
	23358 0020 SLM26L - PROFILE 2m	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
	23358 0030 SLM26L - PROFILE 3m	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>



M26L - SPY 391 92740 DIM5 B

23259 9235 B

Notes: