





M26L - SPY 392 92740 MDL B

23260 9230 B

AVAILABLE IN
BLACK 23260 9230 B
WHITE 23260 9230 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 85° swiveling, 360° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL. LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	E
CERTIFICATES	ENEC, LCA

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 8,6W / CRI>90 (R9: 60) / 2700K / 1041lm)
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2082lm // 17,2W // 121lm/W
LED TECHNICS (LUMINAIRE)	1688lm // 20W // 85lm/W

Remarks

Take a look at our **MAGNETIC PROFILES** movie

Requirements

SPY 39 TUBE or VISOR 39
LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR



M26L - SPY 392 92740 MDL B

23260 9230 B

For detailed installation instructions, please consult the manual: [23260_XXX0_HAND.pdf](#)

M26L - SPY 392 92740 MDL B
23260 9230 B

FINISH YOUR SPECIFICATION

Current supply #



21032 0030 SMART 48 MODULATOR PLUG-IN WD


9 ☐

SMART 48 #



300 90 011 SMART 48 MODULATOR DIM9


9 ☐



300 90 012 SMART 48 MODULATOR WD


9 ☐

LED power supplies #



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

5 ☐



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

12 ☐



21012 0230 LED POWER SUPPLY 48V-DC / 100W

5 ☐



21012 0240 LED POWER SUPPLY 48V-DC / 200W

10 ☐

M26L - SPY 392 92740 MDL B
23260 9230 B

Light altering devices



24144 0030 B VISOR 39 B

☐

Finish your product



24144 0010 B SPY 39 TUBE B

☐

24144 0010 FBR SPY 39 TUBE FBR

☐

24144 0010 FG SPY 39 TUBE FG

☐

24144 0010 GC SPY 39 TUBE GC

☐

24144 0010 W SPY 39 TUBE W

☐







24144 0070 SPY 39 TUBE SBL

☐

















M26L - SPY 392 92740 MDL B
 23260 9230 B

COMPATIBLE COMPOSABLES

SHIFTLINE M26L FLOOR
 Available Colours

	29321 0010 SLM26L F MDL	
	29322 002W SLM26L F MDL WD	

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)
 Available Colours

	23358 0000 SLM26L - PROFILE	 
	23358 0010 SLM26L - PROFILE 1m	 
	23358 0020 SLM26L - PROFILE 2m	   
	23358 0030 SLM26L - PROFILE 3m	   

Notes: