





## M26L - SPY 392 93040 MDL B

### 23260 9330 B

AVAILABLE IN  
**BLACK** 23260 9330 B  
**WHITE** 23260 9330 W



 [View on website](#)



#### General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 85° swiveling, 360° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL LED POWER SUPPLY 48V-DC

#### Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	D
CERTIFICATES	ENEC, LCA

#### Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1089lm)
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2178lm // 17,2W // 127lm/W
LED TECHNICS (LUMINAIRE)	1766lm // 20W // 89lm/W

#### Remarks

Take a look at our **MAGNETIC PROFILES** movie

#### Requirements

SPY 39 TUBE or VISOR 39  
LED POWER SUPPLY 48V-DC

#### Options

DIMMABLE MODULATOR



## **M26L - SPY 392 93040 MDL B**

23260 9330 B

For detailed installation instructions, please consult the manual: [23260\\_XXX0\\_HAND.pdf](#)

**M26L - SPY 392 93040 MDL B**  
 23260 9330 B

FINISH YOUR SPECIFICATION

Current supply
 #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

9

☐


SMART 48
 #



**300 90 011** SMART 48 MODULATOR DIM9

9

☐




**300 90 012** SMART 48 MODULATOR WD

9

☐


LED power supplies
 #



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

5

☐



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

12

☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

5

☐



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

10

☐

M26L - SPY 392 93040 MDL B  
23260 9330 B

Light altering devices



**24144 0030 B** VISOR 39 B

☐

Finish your product



**24144 0010 B** SPY 39 TUBE B

☐

**24144 0010 FBR** SPY 39 TUBE FBR

☐

**24144 0010 FG** SPY 39 TUBE FG

☐

**24144 0010 GC** SPY 39 TUBE GC

☐

**24144 0010 W** SPY 39 TUBE W

☐







**24144 0070** SPY 39 TUBE SBL

☐









M26L - SPY 392 93040 MDL B  
23260 9330 B

COMPATIBLE COMPOSABLES

SHIFTLINE M26L FLOOR Available Colours

	<b>29321 0010</b> SLM26L F MDL	
	<b>29322 002W</b> SLM26L F MDL WD	

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX) Available Colours

	<b>23358 0000</b> SLM26L - PROFILE	
	<b>23358 0010</b> SLM26L - PROFILE 1m	
	<b>23358 0020</b> SLM26L - PROFILE 2m	
	<b>23358 0030</b> SLM26L - PROFILE 3m	

Notes: