





## M20/M26H - SPY 391 92740 MDL B

### 23315 9230 B

AVAILABLE IN  
**BLACK** 23315 9230 B  
**BRUSHED ALU** 23315 9230 BRA  
**BRUSHED ANTHRACITE** 23315 9230 BRAT  
**BRUSHED COPPER** 23315 9230 BRCU  
**BRUSHED GOLD** 23315 9230 BRG  
**BRUSHED OLD BRONZE** 23315 9230 BROB  
**FLEMISH BRONZE** 23315 9230 FBR  
**FLEMISH GOLD** 23315 9230 FG  
**GOLD COLOURED** 23315 9230 GC  
**PIANO BLACK** 23315 9230 PB  
**WHITE** 23315 9230 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 48V-DC

Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	E
CERTIFICATES	ENEC, LCA

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 60) / 2700K / 1041lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	844lm // 10W // 85lm/W

#### Remarks

Take a look at our [MAGNETIC PROFILES](#) movie



## M20/M26H - SPY 391 92740 MDL B

23315 9230 B

### Requirements

---

SPY 39 TUBE or VISOR 39  
LED POWER SUPPLY 48V-DC

### Options

---

DIMMABLE MODULATOR

For detailed installation instructions, please consult the manual: [23315\\_XXX0\\_HAND.pdf](#)

M20/M26H - SPY 391 92740 MDL B

23315 9230 B

FINISH YOUR SPECIFICATION

Current supply #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

19 ☐

SMART 48 #



**300 90 011** SMART 48 MODULATOR DIM9


19 ☐



**300 90 012** SMART 48 MODULATOR WD


19 ☐

LED power supplies #



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

10 ☐



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

24 ☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

10 ☐



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

20 ☐

Light altering devices



**24144 0030 B** VISOR 39 B

☐

Finish your product



**24144 0010 B** SPY 39 TUBE B

☐

**24144 0010 FBR** SPY 39 TUBE FBR

☐

**24144 0010 FG** SPY 39 TUBE FG

☐

**24144 0010 GC** SPY 39 TUBE GC

☐

**24144 0010 W** SPY 39 TUBE W

☐
































**24144 0070** SPY 39 TUBE SBL

☐

M20/M26H - SPY 391 92740 MDL B

23315 9230 B

COMPATIBLE COMPOSABLES









SHIFTLINE M26H FLOOR		Available Colours
	<b>29323 920W</b> SLM26H F MDL WD	
	<b>29323 930W</b> SLM26H F MDL WD	
SHIFTLINE M26H profile		Available Colours
	<b>23359 0000</b> SLM26H - PROFILE	 
	<b>23359 0010</b> SLM26H - PROFILE 1m	 
	<b>23359 0020</b> SLM26H - PROFILE 2m	   
	<b>23359 0030</b> SLM26H - PROFILE 3m	   
SPLITLINE M20 ST profile		Available Colours
	<b>23397 0000</b> SPM20 ST - PROFILE	 
	<b>23397 0020</b> SPM20 ST - PROFILE 2m	 
	<b>23397 0030</b> SPM20 ST - PROFILE 3m	 

M20/M26H - SPY 391 92740 MDL B

23315 9230 B

SPLITLINE M20 profile

Available Colours

	<b>420 20 10 00</b> SPM20 - PROFILE 1m	
	<b>420 20 20 00</b> SPM20 - PROFILE 2m	
	<b>420 20 30 00</b> SPM20 - PROFILE 3m	
	<b>23301 0000</b> SPM20 - PROFILE B	

Notes: