





## M20/M26H - SPY 391 93040 MDL B 23315 9330 B

AVAILABLE IN  
**BLACK** 23315 9330 B  
**BRUSHED ALU** 23315 9330 BRA  
**BRUSHED ANTHRACITE** 23315 9330 BRAT  
**BRUSHED COPPER** 23315 9330 BRCU  
**BRUSHED GOLD** 23315 9330 BRG  
**BRUSHED OLD BRONZE** 23315 9330 BROB  
**FLEMISH BRONZE** 23315 9330 FBR  
**FLEMISH GOLD** 23315 9330 FG  
**GOLD COLOURED** 23315 9330 GC  
**PIANO BLACK** 23315 9330 PB  
**WHITE** 23315 9330 W



[View on website](#)

### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.3
<b>ADJUSTABILITY</b>	0° to 85° swiveling, 355° rotatable
<b>INFORMATION</b>	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 48V-DC

### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	MDL = 1-10V or DALI or push button
<b>ENERGY CLASS</b>	D
<b>CERTIFICATES</b>	ENEC, LCA

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1089lm
<b>TM-30 VALUES</b>	rf: 90 / Rg: 99
<b>SDCM</b>	SDCM1
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1089lm // 8,6W // 127lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	883lm // 10W // 89lm/W

### Remarks

[Take a look at our MAGNETIC PROFILES movie](#)

## **M20/M26H - SPY 391 93040 MDL B**

23315 9330 B

### **Requirements**

---

SPY 39 TUBE or VISOR 39  
LED POWER SUPPLY 48V-DC

### **Options**

---

DIMMABLE MODULATOR

For detailed installation instructions, please consult the manual: [\*\*23315\\_XXX0\\_HAND.pdf\*\*](#)

M20/M26H - SPY 391 93040 MDL B  
23315 9330 B

FINISH YOUR SPECIFICATION

Current supply #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

19 ☐

SMART 48 #



**300 90 011** SMART 48 MODULATOR DIM9


19 ☐



**300 90 012** SMART 48 MODULATOR WD


19 ☐

LED power supplies #



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

10 ☐



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

24 ☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W

10 ☐



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

20 ☐

M20/M26H - SPY 391 93040 MDL B  
23315 9330 B

Light altering devices



**24144 0030 B** VISOR 39 B

☐

Finish your product



**24144 0010 B** SPY 39 TUBE B

☐

**24144 0010 FBR** SPY 39 TUBE FBR

☐

**24144 0010 FG** SPY 39 TUBE FG

☐

**24144 0010 GC** SPY 39 TUBE GC

☐

**24144 0010 W** SPY 39 TUBE W

☐



**24144 0070** SPY 39 TUBE SBL


☐

M20/M26H - SPY 391 93040 MDL B  
23315 9330 B


COMPATIBLE COMPOSABLES

SHIFTLINE M26H FLOOR

Available Colours



**29323 920W** SLM26H F MDL WD




**29323 930W** SLM26H F MDL WD




SHIFTLINE M26H profile


Available Colours




**23359 0000** SLM26H - PROFILE



**23359 0010** SLM26H - PROFILE 1m



**23359 0020** SLM26H - PROFILE 2m



**23359 0030** SLM26H - PROFILE 3m



SPLITLINE M20 ST profile

Available Colours



**23397 0000** SPM20 ST - PROFILE











**23397 0020** SPM20 ST - PROFILE 2m



**23397 0030** SPM20 ST - PROFILE 3m



M20/M26H - SPY 391 93040 MDL B  
23315 9330 B

SPLITLINE M20 profile		Available Colours
	<b>420 20 10 00</b> SPM20 - PROFILE 1m	
	<b>420 20 20 00</b> SPM20 - PROFILE 2m	
	<b>420 20 30 00</b> SPM20 - PROFILE 3m	
	<b>23301 0000</b> SPM20 - PROFILE B	

Notes: