





M20/M26H - SPY 391 92740 DIM5 BRAT

23316 9235 BRAT

AVAILABLE IN

BLACK 23316 9235 B
BRUSHED ALU 23316 9235 BRA
BRUSHED ANTHRACITE 23316 9235 BRAT
BRUSHED COPPER 23316 9235 BRCU
BRUSHED GOLD 23316 9235 BRG
BRUSHED OLD BRONZE 23316 9235 BROB
FLEMISH BRONZE 23316 9235 FBR
FLEMISH GOLD 23316 9235 FG
GOLD COLOURED 23316 9235 GC
PIANO BLACK 23316 9235 PB
WHITE 23316 9235 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 48V-DC

Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	E
CERTIFICATES	ENEC, LCA

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 60) / 2700K / 1041lm
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	844lm // 10W // 85lm/W

Remarks

Take a look at our [MAGNETIC PROFILES movie](#)

M20/M26H - SPY 391 92740 DIM5 BRAT

23316 9235 BRAT

Requirements

SPY 39 TUBE or VISOR 39






LED POWER SUPPLY 48V-DC

For detailed installation instructions, please consult the manual: [23316_XXX5_HAND.pdf](#)

M20/M26H - SPY 391 92740 DIM5 BRAT

23316 9235 BRAT



FINISH YOUR SPECIFICATION

LED power supplies		#
	300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN	10 <input type="checkbox"/>
	300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN	24 <input type="checkbox"/>
	21012 0230 LED POWER SUPPLY 48V-DC / 100W	10 <input type="checkbox"/>
	21012 0240 LED POWER SUPPLY 48V-DC / 200W	20 <input type="checkbox"/>
Light altering devices		
	24144 0030 B VISOR 39 B	<input type="checkbox"/>

M20/M26H - SPY 391 92740 DIM5 BRAT



















23316 9235 BRAT

Finish your product

	24144 0010 B	SPY 39 TUBE B	<input type="checkbox"/>
	24144 0010 FBR	SPY 39 TUBE FBR	<input type="checkbox"/>
	24144 0010 FG	SPY 39 TUBE FG	<input type="checkbox"/>
	24144 0010 GC	SPY 39 TUBE GC	<input type="checkbox"/>
	24144 0010 W	SPY 39 TUBE W	<input type="checkbox"/>
	24144 0070	SPY 39 TUBE SBL	<input type="checkbox"/>

M20/M26H - SPY 391 92740 DIM5 BRAT
 23316 9235 BRAT

COMPATIBLE COMPOSABLES


SHIFTLINE M26H + SBL	Available Colours
 30411 9205 SHIFTLINE M26H + SBL 2m DIM5	 
 30411 9305 SHIFTLINE M26H + SBL 2m DIM5	 
 30412 9205 SHIFTLINE M26H + SBL 3m DIM5	 
 30412 9305 SHIFTLINE M26H + SBL 3m DIM5	 
 30413 9205 SHIFTLINE M26H + SBL 4m DIM5	 
 30413 9305 SHIFTLINE M26H + SBL 4m DIM5	 

M20/M26H - SPY 391 92740 DIM5 BRAT


23316 9235 BRAT

SHIFTLINE M26H profile


Available Colours




23359 0000 SLM26H - PROFILE



23359 0010 SLM26H - PROFILE 1m



23359 0020 SLM26H - PROFILE 2m



23359 0030 SLM26H - PROFILE 3m



SPLITLINE M20 ST profile

Available Colours



23397 0000 SPM20 ST - PROFILE



23397 0020 SPM20 ST - PROFILE 2m



23397 0030 SPM20 ST - PROFILE 3m











M20/M26H - SPY 391 92740 DIM5 BRAT

23316 9235 BRAT

SPLITLINE M20 profile

Available Colours

	420 20 10 00 SPM20 - PROFILE 1m	
	420 20 20 00 SPM20 - PROFILE 2m	
	420 20 30 00 SPM20 - PROFILE 3m	
	23301 0000 SPM20 - PROFILE B	

Notes: