





## M20/M26H - SPY 52 92745 MDL B

### 23323 9230 B

AVAILABLE IN  
**BLACK** 23323 9230 B  
**FLEMISH BRONZE** 23323 9230 FBR  
**FLEMISH GOLD** 23323 9230 FG  
**GOLD COLOURED** 23323 9230 GC  
**WHITE** 23323 9230 W



[View on website](#)

#### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Low voltage systems Low voltage system mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.5
<b>ADJUSTABILITY</b>	0° to 90° swiveling, 355° rotatable
<b>INFORMATION</b>	REFLECTOR WFL-45° EXCL. LED POWER SUPPLY 48V-DC Optional REFLECTORS 20° & 30° available

#### Electrical info

<b>ELECTRICAL</b>	48V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	MDL = 1-10V or DALI or push button
<b>ENERGY CLASS</b>	E
<b>CERTIFICATES</b>	ENEC, LCA

#### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED array 12,4W / CRI>90 (R9: 60) / 2700K / 1403lm
<b>TM-30 VALUES</b>	rf: 89 / Rg: 100
<b>SDCM</b>	SDCM1
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1403lm // 12,4W // 113lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	898lm // 14W // 63lm/W

#### Remarks

Take a look at our [MAGNETIC PROFILES movie](#)

#### Requirements

SPY 52 TUBE  
LED POWER SUPPLY 48V-DC



## **M20/M26H - SPY 52 92745 MDL B**

23323 9230 B

### **Options**

---

DIMMABLE MODULATOR

### **Accessories**

---

HONEYCOMB 42

SPREAD LENS 42

LINEAR SPREAD LENS 42

SOFTENING LENS 42

GLASS SBL 42

For detailed installation instructions, please consult the manual: [\*\*23323\\_XXX0\\_HAND.pdf\*\*](#)

M20/M26H - SPY 52 92745 MDL B  
23323 9230 B

FINISH YOUR SPECIFICATION

Current supply #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

13 ☐

SMART 48 #



**300 90 011** SMART 48 MODULATOR DIM9


13 ☐



**300 90 012** SMART 48 MODULATOR WD


13 ☐

LED power supplies #



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

7 ☐



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

16 ☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W







7 ☐



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

14 ☐


Light altering devices

	<b>19810 0010 B</b> HONEYCOMB 42 SINGLE USE B	<input type="checkbox"/>
	<b>19810 0020</b> LINEAR SPREAD LENS 42	<input type="checkbox"/>
	<b>19810 0030</b> SPREAD LENS 42	<input type="checkbox"/>
	<b>19810 0040</b> SOFTENING LENS 42	<input type="checkbox"/>
	<b>19810 0050</b> GLASS SBL 42	<input type="checkbox"/>
	<b>19810 0060 B</b> HONEYCOMB 42 DOUBLE USE B	<input type="checkbox"/>




M20/M26H - SPY 52 92745 MDL B

23323 9230 B

Finish your product


























 <div>40 Ø49</div>	<b>19810 0100 B</b> SPY 52 TUBE B	<input type="checkbox"/>
	<b>19810 0100 FBR</b> SPY 52 TUBE FBR	<input type="checkbox"/>
	<b>19810 0100 FG</b> SPY 52 TUBE FG	<input type="checkbox"/>
	<b>19810 0100 GC</b> SPY 52 TUBE GC	<input type="checkbox"/>
	<b>19810 0100 W</b> SPY 52 TUBE W	<input type="checkbox"/>

Replaceable reflector / lens









 <div>18 Ø45</div>	<b>19810 0180</b> SPY 52 REFLECTOR 20°	<input type="checkbox"/>
 <div>18 Ø45</div>	<b>19810 0190</b> SPY 52 REFLECTOR 45°	<input type="checkbox"/>
 <div>18 Ø45</div>	<b>19810 0240</b> SPY 52 REFLECTOR 30°	<input type="checkbox"/>

M20/M26H - SPY 52 92745 MDL B  
23323 9230 B

COMPATIBLE COMPOSABLES

SHIFTLINE M26H profile		Available Colours
	<b>23359 0000</b> SLM26H - PROFILE	 
	<b>23359 0010</b> SLM26H - PROFILE 1m	 
	<b>23359 0020</b> SLM26H - PROFILE 2m	   
	<b>23359 0030</b> SLM26H - PROFILE 3m	   
SPLITLINE M20 ST profile		Available Colours
	<b>23397 0000</b> SPM20 ST - PROFILE	 
	<b>23397 0020</b> SPM20 ST - PROFILE 2m	 
	<b>23397 0030</b> SPM20 ST - PROFILE 3m	 

M20/M26H - SPY 52 92745 MDL B  
23323 9230 B

SPLITLINE M20 profile		Available Colours
	<b>420 20 10 00</b> SPM20 - PROFILE 1m	
	<b>420 20 20 00</b> SPM20 - PROFILE 2m	
	<b>420 20 30 00</b> SPM20 - PROFILE 3m	
	<b>23301 0000</b> SPM20 - PROFILE B	

Notes: