





## M20/M26H - SPY 52 93045 MDL B

### 23323 9330 B

AVAILABLE IN  
**BLACK** 23323 9330 B  
**FLEMISH BRONZE** 23323 9330 FBR  
**FLEMISH GOLD** 23323 9330 FG  
**GOLD COLOURED** 23323 9330 GC  
**WHITE** 23323 9330 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 48V-DC Optional REFLECTORS 20° & 30° available

Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	E
CERTIFICATES	ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 12,4W / CRI>90 (R9: 52) / 3000K / 1467lm
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1467lm // 12,4W // 118lm/W
LED TECHNICS (LUMINAIRE)	939lm // 14W // 66lm/W

Remarks
Take a look at our <a href="#">MAGNETIC PROFILES movie</a>

Requirements
SPY 52 TUBE
LED POWER SUPPLY 48V-DC



## M20/M26H - SPY 52 93045 MDL B

23323 9330 B

### Options

---

DIMMABLE MODULATOR

### Accessories

---

HONEYCOMB 42

SPREAD LENS 42

LINEAR SPREAD LENS 42

SOFTENING LENS 42

GLASS SBL 42

For detailed installation instructions, please consult the manual: [\*\*23323\\_XXX0\\_HAND.pdf\*\*](#)

M20/M26H - SPY 52 93045 MDL B  
23323 9330 B

FINISH YOUR SPECIFICATION

Current supply #



**21032 0030** SMART 48 MODULATOR PLUG-IN WD

13 ☐

SMART 48 #



**300 90 011** SMART 48 MODULATOR DIM9

13 ☐



**300 90 012** SMART 48 MODULATOR WD


13 ☐

LED power supplies #



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

7 ☐




**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

16 ☐



**21012 0230** LED POWER SUPPLY 48V-DC / 100W







7 ☐



**21012 0240** LED POWER SUPPLY 48V-DC / 200W


14 ☐

Light altering devices




	<b>19810 0010 B</b> HONEYCOMB 42 SINGLE USE B	<input type="checkbox"/>
	<b>19810 0020</b> LINEAR SPREAD LENS 42	<input type="checkbox"/>
	<b>19810 0030</b> SPREAD LENS 42	<input type="checkbox"/>
	<b>19810 0040</b> SOFTENING LENS 42	<input type="checkbox"/>
	<b>19810 0050</b> GLASS SBL 42	<input type="checkbox"/>
	<b>19810 0060 B</b> HONEYCOMB 42 DOUBLE USE B	<input type="checkbox"/>

**M20/M26H - SPY 52 93045 MDL B**  
23323 9330 B

**Finish your product**


























	<b>19810 0100 B</b> SPY 52 TUBE B	<input type="checkbox"/>
	<b>19810 0100 FBR</b> SPY 52 TUBE FBR	<input type="checkbox"/>
	<b>19810 0100 FG</b> SPY 52 TUBE FG	<input type="checkbox"/>
	<b>19810 0100 GC</b> SPY 52 TUBE GC	<input type="checkbox"/>
	<b>19810 0100 W</b> SPY 52 TUBE W	<input type="checkbox"/>

**Replaceable reflector / lens**

	<b>19810 0180</b> SPY 52 REFLECTOR 20°	<input type="checkbox"/>
	<b>19810 0190</b> SPY 52 REFLECTOR 45°	<input type="checkbox"/>
	<b>19810 0240</b> SPY 52 REFLECTOR 30°	<input type="checkbox"/>

M20/M26H - SPY 52 93045 MDL B  
23323 9330 B

COMPATIBLE COMPOSABLES









SHIFTLINE M26H profile		Available Colours
	<b>23359 0000</b> SLM26H - PROFILE	 
	<b>23359 0010</b> SLM26H - PROFILE 1m	 
	<b>23359 0020</b> SLM26H - PROFILE 2m	   
	<b>23359 0030</b> SLM26H - PROFILE 3m	   
SPLITLINE M20 ST profile		Available Colours
	<b>23397 0000</b> SPM20 ST - PROFILE	 
	<b>23397 0020</b> SPM20 ST - PROFILE 2m	 
	<b>23397 0030</b> SPM20 ST - PROFILE 3m	 

M20/M26H - SPY 52 93045 MDL B

23323 9330 B

SPLITLINE M20 profile

Available Colours

	<b>420 20 10 00</b> SPM20 - PROFILE 1m	
	<b>420 20 20 00</b> SPM20 - PROFILE 2m	
	<b>420 20 30 00</b> SPM20 - PROFILE 3m	
	<b>23301 0000</b> SPM20 - PROFILE B	

Notes: