





M - MICROSPY 39 C 92745 DIM5 B

23353 9215 B

AVAILABLE IN
BLACK 23353 9215 B
WHITE 23353 9215 W



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.7
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 48V-DC INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	D
CERTIFICATES	ENEC, LCA

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	753lm // 5,8W // 129lm/W
LED TECHNICS (LUMINAIRE)	507lm // 7W // 76lm/W





Requirements

LED POWER SUPPLY 48V-DC

For detailed installation instructions, please consult the manual: [23353_9X15_HAND.pdf](#)



















M - MICROSPY 39 C 92745 DIM5 B
23353 9215 B

FINISH YOUR SPECIFICATION

LED power supplies		#
 <p>55 100 90</p>	300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN	12 <input type="checkbox"/>
 <p>63 114 125</p>	300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN	29 <input type="checkbox"/>
 <p>17 298 30</p>	21012 0230 LED POWER SUPPLY 48V-DC / 100W	12 <input type="checkbox"/>
 <p>22 392 30</p>	21012 0240 LED POWER SUPPLY 48V-DC / 200W	24 <input type="checkbox"/>









M - MICROSPY 39 C 92745 DIM5 B
23353 9215 B









COMPATIBLE COMPOSABLES

SHIFTLINE M26H + SBL	Available Colours
 30411 9205 SHIFTLINE M26H + SBL 2m DIM5	 
 30411 9305 SHIFTLINE M26H + SBL 2m DIM5	 
 30412 9205 SHIFTLINE M26H + SBL 3m DIM5	 
 30412 9305 SHIFTLINE M26H + SBL 3m DIM5	 
 30413 9205 SHIFTLINE M26H + SBL 4m DIM5	 
 30413 9305 SHIFTLINE M26H + SBL 4m DIM5	 










M - MICROSPY 39 C 92745 DIM5 B









23353 9215 B

SHIFTLINE M26H profile		Available Colours
	23359 0000 SLM26H - PROFILE	
	23359 0010 SLM26H - PROFILE 1m	
	23359 0020 SLM26H - PROFILE 2m	
	23359 0030 SLM26H - PROFILE 3m	









SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)		Available Colours
	23358 0000 SLM26L - PROFILE	
	23358 0010 SLM26L - PROFILE 1m	
	23358 0020 SLM26L - PROFILE 2m	
	23358 0030 SLM26L - PROFILE 3m	

M - MICROSPY 39 C 92745 DIM5 B
23353 9215 B

SPLITLINE M20 ST profile		Available Colours
	23397 0000 SPM20 ST - PROFILE	 
	23397 0020 SPM20 ST - PROFILE 2m	 
	23397 0030 SPM20 ST - PROFILE 3m	 

SPLITLINE M20 profile		Available Colours
	420 20 10 00 SPM20 - PROFILE 1m	
	420 20 20 00 SPM20 - PROFILE 2m	
	420 20 30 00 SPM20 - PROFILE 3m	
	23301 0000 SPM20 - PROFILE B	

M - MICROSPY 39 C 92745 DIM5 B
 23353 9215 B

SPLITLINE M52 profile	Available Colours
 <div> <div>420 52 10 00</div> <div>SPM52 - PROFILE 1m</div> </div>	
 <div> <div>420 52 20 00</div> <div>SPM52 - PROFILE 2m</div> </div>	
 <div> <div>420 52 30 00</div> <div>SPM52 - PROFILE 3m</div> </div>	
 <div> <div>24413 0000</div> <div>SPM52 - PROFILE</div> </div>	

Notes: