





M20/M26H - VIZIR L 93033 DIM5 BBR

23362 9325 BBR

AVAILABLE IN
BLACK BRONZE 23362 9325 BBR
GOLD COLOURED 23362 9325 GC



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	REFLECTOR FL-33° EXCL.LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	D
CERTIFICATES	ENEC

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1089lm
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1089lm // 8,6W // 127lm/W
LED TECHNICS (LUMINAIRE)	547lm // 10W // 55lm/W

Remarks

Take a look at our **MAGNETIC PROFILES** movie

Requirements

VIZIR TUBE
LED POWER SUPPLY 48V-DC

M20/M26H - VIZIR L 93033 DIM5 BBR

23362 9325 BBR

Accessories







VIZIR HONEYCOMB

VIZIR SOFTENING LENS

For detailed installation instructions, please consult the manual: [23362_9X25_HAND.pdf](#)


M20/M26H - VIZIR L 93033 DIM5 BBR
23362 9325 BBR

FINISH YOUR SPECIFICATION

LED power supplies		#
	300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN	8 <input type="checkbox"/>
	300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN	18 <input type="checkbox"/>
	21012 0230 LED POWER SUPPLY 48V-DC / 100W	8 <input type="checkbox"/>
	21012 0240 LED POWER SUPPLY 48V-DC / 200W	16 <input type="checkbox"/>
Light altering devices		
	473 03 01 B VIZIR HONEYCOMB B	<input type="checkbox"/>
	473 03 04 VIZIR SOFTENING LENS	<input type="checkbox"/>













M20/M26H - VIZIR L 93033 DIM5 BBR
23362 9325 BBR

Finish your product

	473 01 00 B	VIZIR TUBE B	<input type="checkbox"/>
	473 01 00 FBR	VIZIR TUBE FBR	<input type="checkbox"/>
	473 01 00 FG	VIZIR TUBE FG	<input type="checkbox"/>
	473 01 00 W	VIZIR TUBE W	<input type="checkbox"/>









M20/M26H - VIZIR L 93033 DIM5 BBR
23362 9325 BBR

COMPATIBLE COMPOSABLES







SHIFTLINE M26H + SBL	Available Colours
 30411 9205 SHIFTLINE M26H + SBL 2m DIM5	
 30411 9305 SHIFTLINE M26H + SBL 2m DIM5	
 30412 9205 SHIFTLINE M26H + SBL 3m DIM5	
 30412 9305 SHIFTLINE M26H + SBL 3m DIM5	
 30413 9205 SHIFTLINE M26H + SBL 4m DIM5	
 30413 9305 SHIFTLINE M26H + SBL 4m DIM5	

M20/M26H - VIZIR L 93033 DIM5 BBR
23362 9325 BBR









SHIFTLINE M26H profile Available Colours

	23359 0000 SLM26H - PROFILE	
	23359 0010 SLM26H - PROFILE 1m	
	23359 0020 SLM26H - PROFILE 2m	
	23359 0030 SLM26H - PROFILE 3m	

SPLITLINE M20 ST profile Available Colours

	23397 0000 SPM20 ST - PROFILE	
	23397 0020 SPM20 ST - PROFILE 2m	
	23397 0030 SPM20 ST - PROFILE 3m	

M20/M26H - VIZIR L 93033 DIM5 BBR
23362 9325 BBR

SPLITLINE M20 profile		Available Colours
	420 20 10 00 SPM20 - PROFILE 1m	
	420 20 20 00 SPM20 - PROFILE 2m	
	420 20 30 00 SPM20 - PROFILE 3m	
	23301 0000 SPM20 - PROFILE B	

Notes: