





M - INFORM L11 93067 MDL B
23383 9320 B

AVAILABLE IN
BLACK 23383 9320 B



 [View on website](#)

General info

LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.7
ADJUSTABILITY	non adjustable
INFORMATION	INCL.48 x REFLECTOR FL-67° EXCL.LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	D

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED cluster 8,3W / CRI>90 (R9: 50) / 3000K / 1214lm)
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	2428lm // 16,6W // 146lm/W
LED TECHNICS (LUMINAIRE)	2234lm // 19W // 117lm/W

Remarks

[Take a look at our MAGNETIC PROFILES movie](#)

Requirements

LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR










M - INFORM L11 93067 MDL B

23383 9320 B

For detailed installation instructions, please consult the manual: [23383_XXX0_HAND.pdf](#)



















M - INFORM L11 93067 MDL B
 23383 9320 B

FINISH YOUR SPECIFICATION









Current supply		#
 <div> 21032 0030 SMART 48 MODULATOR PLUG-IN WD </div>	9	<input type="checkbox"/>
SMART 48		#
 <div> 300 90 011 SMART 48 MODULATOR DIM9 </div>	9	<input type="checkbox"/>
 <div> 300 90 012 SMART 48 MODULATOR WD </div>	9	<input type="checkbox"/>
LED power supplies		#
 <div> 300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN </div>	5	<input type="checkbox"/>
 <div> 300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN </div>	12	<input type="checkbox"/>
 <div> 21012 0230 LED POWER SUPPLY 48V-DC / 100W </div>	5	<input type="checkbox"/>
 <div> 21012 0240 LED POWER SUPPLY 48V-DC / 200W </div>	10	<input type="checkbox"/>

M - INFORM L11 93067 MDL B
23383 9320 B

COMPATIBLE COMPOSABLES

SHIFTLINE M26H profile		Available Colours
	23359 0020 SLM26H - PROFILE 2m	
	23359 0030 SLM26H - PROFILE 3m	
SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)		Available Colours
	23358 0000 SLM26L - PROFILE	
	23358 0010 SLM26L - PROFILE 1m	
	23358 0020 SLM26L - PROFILE 2m	
	23358 0030 SLM26L - PROFILE 3m	
SPLITLINE M20 ST profile		Available Colours
	23397 0000 SPM20 ST - PROFILE	
	23397 0020 SPM20 ST - PROFILE 2m	
	23397 0030 SPM20 ST - PROFILE 3m	

M - INFORM L11 93067 MDL B
23383 9320 B

SPLITLINE M20 profile		Available Colours
	420 20 10 00 SPM20 - PROFILE 1m	
	420 20 20 00 SPM20 - PROFILE 2m	
	420 20 30 00 SPM20 - PROFILE 3m	
	23301 0000 SPM20 - PROFILE B	

Notes: