





M20/M26H - SPY 391 L 93040 MDL B

23389 9330 B

AVAILABLE IN
BLACK 23389 9330 B
FLEMISH BRONZE 23389 9330 FBR
FLEMISH GOLD 23389 9330 FG
GOLD COLOURED 23389 9330 GC
WHITE 23389 9330 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-40° EXCLLED POWER SUPPLY 48V-DC

Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL = 1-10V or DALI or push button
ENERGY CLASS	D
CERTIFICATES	ENEC, LCA

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1089lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1089lm // 8,6W // 127lm/W
LED TECHNICS (LUMINAIRE)	737lm // 10W // 75lm/W

Remarks
Take a look at our MAGNETIC PROFILES movie

Requirements
SPY 39 L TUBE
LED POWER SUPPLY 48V-DC

M20/M26H - SPY 391 L 93040 MDL B








23389 9330 B

Options

DIMMABLE MODULATOR

For detailed installation instructions, please consult the manual: [23389_XXX0_HAND.pdf](#)

FINISH YOUR SPECIFICATION

Current supply		#
	21032 0030 SMART 48 MODULATOR PLUG-IN WD	19 <input type="checkbox"/>
SMART 48		#
	300 90 011 SMART 48 MODULATOR DIM9	19 <input type="checkbox"/>
	300 90 012 SMART 48 MODULATOR WD	19 <input type="checkbox"/>
LED power supplies		#
	300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN	10 <input type="checkbox"/>
	300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN	24 <input type="checkbox"/>
	21012 0230 LED POWER SUPPLY 48V-DC / 100W	10 <input type="checkbox"/>
	21012 0240 LED POWER SUPPLY 48V-DC / 200W	20 <input type="checkbox"/>


























M20/M26H - SPY 391 L 93040 MDL B
23389 9330 B

Finish your product









	24144 0020 B	SPY 39 L TUBE B	<input type="checkbox"/>
	24144 0020 FBR	SPY 39 L TUBE FBR	<input type="checkbox"/>
	24144 0020 FG	SPY 39 L TUBE FG	<input type="checkbox"/>
	24144 0020 GC	SPY 39 L TUBE GC	<input type="checkbox"/>
	24144 0020 W	SPY 39 L TUBE W	<input type="checkbox"/>

M20/M26H - SPY 391 L 93040 MDL B
23389 9330 B

COMPATIBLE COMPOSABLES

SHIFTLINE M26H profile		Available Colours
	23359 0000 SLM26H - PROFILE	 
	23359 0010 SLM26H - PROFILE 1m	 
	23359 0020 SLM26H - PROFILE 2m	   
	23359 0030 SLM26H - PROFILE 3m	   
SPLITLINE M20 ST profile		Available Colours
	23397 0000 SPM20 ST - PROFILE	 
	23397 0020 SPM20 ST - PROFILE 2m	 
	23397 0030 SPM20 ST - PROFILE 3m	 

M20/M26H - SPY 391 L 93040 MDL B
23389 9330 B

SPLITLINE M20 profile		Available Colours
	420 20 10 00 SPM20 - PROFILE 1m	
	420 20 20 00 SPM20 - PROFILE 2m	
	420 20 30 00 SPM20 - PROFILE 3m	
	23301 0000 SPM20 - PROFILE B	

Notes: