





MICROSPY IN TRIMLESS OK 92730 B

24112 9220 B

AVAILABLE IN
BLACK 24112 9220 B
WHITE 24112 9220 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	75
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.1
ADJUSTABILITY	0° to 20° swiveling, 350° rotatable
INFORMATION	LENS FL-30° EXCL.LED POWER SUPPLY 350-450mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, UL

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 3,9-5,1W / CRI>90 (R9: 56) / 2700K / 385-480lm
TM-30 VALUES	Rf: 91 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG2 (threshold 0,6m)
LM80	L90B10 > 41000
LED TECHNICS (LIGHT SOURCE)	480lm // 5,1W // 94lm/W
LED TECHNICS (LUMINAIRE)	364lm // 6W // 62lm/W













Requirements	
MOUNTING KIT TRIMLESS MICROSPY IN OK	
LED POWER SUPPLY 350 / 450mA-DC DIM (Remote)	

Accessories	
MICRO VISOR	

MICROSPY IN TRIMLESS OK 92730 B
24112 9220 B










For detailed installation instructions, please consult the manual: [24112_XXXX_HAND.pdf](#)

CEILING COMPATIBILITY


Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT TRIMLESS MICROSPY IN OK	Required
 Plasterboard	 MOUNTING KIT TRIMLESS MICROSPY IN OK	Required
 Stucanet	 MOUNTING KIT TRIMLESS MICROSPY IN OK	Required
 Concrete + plaster	 MOUNTING KIT TRIMLESS MICROSPY IN OK	Required
 Lintel + plaster	 MOUNTING KIT TRIMLESS MICROSPY IN OK	Required
 Hollow-core slab + plaster	 MOUNTING KIT TRIMLESS MICROSPY IN OK	Required

MICROSPY IN TRIMLESS OK 92730 B
24112 9220 B

FINISH YOUR SPECIFICATION


LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	5(5) / - / -	<input type="checkbox"/>
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	3(3) / - / -	<input type="checkbox"/>
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->8(8) / - / -	<input type="checkbox"/>
	300 90 91 LED POWER SUPPLY 350mA-DC / 15W	3(2)	<input type="checkbox"/>
	300 90 110 LED POWER SUPPLY 350mA-DC / 10W DIM8	2->2	<input type="checkbox"/>
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	2->4(3) / - / -	<input type="checkbox"/>
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	3(3) / - / -	<input type="checkbox"/>
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	4 / - / -	<input type="checkbox"/>
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->3 / 1->3	<input type="checkbox"/>

MICROSPY IN TRIMLESS OK 92730 B
24112 9220 B



21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1->4(3) ☐



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

3 ☐

Mounting kits



15212 2020 MOUNTING KIT TRIMLESS MICROSPY IN OK

☐

Light altering devices



10034 0010 B MICRO VISOR B

☐

Notes: