DELTALIGHT®

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

AVAILABLE IN
BLACK 24121 9230 B
BRUSHED ALU 24121 9230 BRA
BRUSHED ANTHRACITE 24121 9230 BRAT
BRUSHED COPPER 24121 9230 BRCU
BRUSHED GOLD 24121 9230 BRG
BRUSHED OLD BRONZE 24121 9230 BROB
FLEMISH BRONZE 24121 9230 FBR
FLEMISH GOLD 24121 9230 FG
GOLD COLOURED 24121 9230 GC
PIANO BLACK 24121 9230 PB
WHITE 24121 9230 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - Ø KIT
RECESSED DEPTH (MM)	80
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 45° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 350-500mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
CERTIFICATES	CB, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1041lm // 8,6W // 121lm/W
LED TECHNICS (LUMINAIRE)	844lm // 10W // 85lm/W

DELTALIGHT®

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

Requirements

SPY 39 TUBE or VISOR 39
MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.
MOUNTING KIT AIR 103
LED POWER SUPPLY 350 / 500mA-DC DIM (Remote)

For detailed installation instructions, please consult the manual: **24121_XXX0_HAND.pdf**

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
System ceiling	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Plasterboard	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Stucanet	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Concrete + plaster	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Lintel + plaster	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Hollow-core slab + plaster	MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.	Required
Stretched ceiling	MOUNTING KIT SPY 39/52 TRIMLESS CSC	Required
	MOUNTING KIT SPY 39/52 TRIMLESS WSC	Required
Ventilation in plasterboard	MOUNTING KIT SIDE AIR 103	Required
	MOUNTING KIT NO AIR 103	Required
	MOUNTING KIT SIDE AIR ONLY 1	Required
Ventilation in concrete + plaster	MOUNTING KIT NO AIR 103	Required
	MOUNTING KIT TOP AIR ONLY 1	Required
	MOUNTING KIT TOP AIR 103	Required

DELTALIGHT®

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

FINISH YOUR SPECIFICATION

LED power supplies			#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->4(4) / 1->4(4) ☐
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	1->2(2) / 1->2(1) ☐
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	2->6(6) / 1->6(4) ☐
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	1->2(2) / 1->2(1) ☐
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->2(2) / 1->2(1) ☐
	**21012 0010**	LED POWER SUPPLY MULTI POWER	1->2 / 1->2 ☐
	**21012 0021**	LED POWER SUPPLY MULTI POWER DIM1	1->3 / 1->2 ☐
	**21012 0035**	LED POWER SUPPLY MULTI POWER DIM5	1->3 / 1->2 ☐
	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->3 / 1->2 ☐

DELTALIGHT®

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

	**21012 0268**	LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	2->2 / 2->2	
	**21012 0278**	LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	1	
	**21012 0288**	LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	2->2	
	**21012 0298**	LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1->2 / 1->2 / 1->2	
	**21012 0308**	LED POWER SUPPLY 350mA / 7,35W DIM8	1	
	**21012 0318**	LED POWER SUPPLY 500mA / 10W DIM8	1	
	**21012 0480**	LED POWER SUPPLY 350mA-DC / 17W IP68	1-2(2)	
	**21012 0500**	LED POWER SUPPLY 500mA-DC / 24W IP68	1-2(1)	
	**21032 0295**	LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1->2	
	**21032 0305**	LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1->2	

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

Mounting kits



15212 2030 MOUNTING KIT SPY 39/52 TRIMLESS O.F.A.

Mounting kits stretched ceiling

15212 0080 MOUNTING KIT SPY 39/52 TRIMLESS CSC

15212 0160 MOUNTING KIT SPY 39/52 TRIMLESS WSC

Mounting kits side air + light



29810 0030 MOUNTING KIT SIDE AIR 103

Mounting kits top air + light



29810 0230 MOUNTING KIT TOP AIR 103

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

Mounting kits side air only



29810 0100 MOUNTING KIT SIDE AIR ONLY 1

Mounting kits top air only



29810 0200 MOUNTING KIT TOP AIR ONLY 1

Mounting kits no air



29810 0070 MOUNTING KIT NO AIR 103

Light altering devices



24144 0030 B VISOR 39 B

SPY 39 TRIMLESS 92740 FBR

24121 9230 FBR

Finish your product

	**24144 0010 B**	SPY 39 TUBE B	☐
	24144 0010 FBR	SPY 39 TUBE FBR	☐
	24144 0010 FG	SPY 39 TUBE FG	☐
	24144 0010 GC	SPY 39 TUBE GC	☐
	24144 0010 W	SPY 39 TUBE W	☐
	24144 0070	SPY 39 TUBE SBL	☐

Notes: