





LASS-OH! R65 - 3 92734 GC

24821 9220 GC

AVAILABLE IN

BLACK 24821 9220 B

GOLD COLOURED 24821 9220 GC



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.8
ADJUSTABILITY	non adjustable
INFORMATION	INCL.3 x DOT.COM S6 modules per module: 6 x REFLECTOR FL-34° EXCL.LED POWER SUPPLY 1050mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	F

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	3 x (LED cluster 6,1W / CRI>90 (R9: 50) / 2700K / 665lm)
TM-30 VALUES	Rf: 92 / Rg: 100
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	1995lm // 18,3W // 109lm/W
LED TECHNICS (LUMINAIRE)	1577lm // 21W // 75lm/W

Requirements

LASS-OH! POWERBOX

LED POWER SUPPLY 1050mA-DC DIM

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS



LASS-OH! R65 - 3 92734 GC

24821 9220 GC



For detailed installation instructions, please consult the manual: [24821_XXX0_HAND.pdf](#)

LASS-OH! R65 - 3 92734 GC

24821 9220 GC




FINISH YOUR SPECIFICATION

Current supply

	203 99 55 ANO CABLE BASE R ANO	<input type="checkbox"/>
	203 99 55 B CABLE BASE R B	<input type="checkbox"/>
	203 99 55 W CABLE BASE R W	<input type="checkbox"/>
	203 99 56 ANO CABLE BASE S ANO	<input type="checkbox"/>
	203 99 56 B CABLE BASE S B	<input type="checkbox"/>
	203 99 56 W CABLE BASE S W	<input type="checkbox"/>

LED power supplies

#

	21012 0010 LED POWER SUPPLY MULTI POWER	1 <input type="checkbox"/>
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 <input type="checkbox"/>
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 <input type="checkbox"/>

LASS-OH! R65 - 3 92734 GC

24821 9220 GC

Power box

#



24814 0075 B LASS-OH! POWERBOX H15 DIM5 B

1


☐

24814 0080 B LASS-OH! POWERBOX H15 B

1

☐

Coversets




204 00 100 B COVERSET R 100 B

☐


204 00 100 W COVERSET R 100 W

☐

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.

☐

15225 0340 B SUSPENSION ST B

☐



15225 0340 W SUSPENSION ST W

☐

LASS-OH! R65 - 3 92734 GC

24821 9220 GC

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	<input type="checkbox"/>
	15225 0360 B CONNECTION ST B	<input type="checkbox"/>
	15225 0360 W CONNECTION ST W	<input type="checkbox"/>

Notes: