




FRAX MB 93026 N

26010 9360 N

AVAILABLE IN
FLEMISH BRONZE OUTDOOR 26010 9360 FBRX
ANTHRACITE (DARK GREY) 26010 9360 N
PINE GREEN 26010 9360 PGR



 [View on website](#)

General info

LOCATION	outdoor
INSTALLATION	Floor Surface mounted,Wall Surface mounted
INGRESS PROTECTION	IP65
PROTECTION AGAINST MECHANICAL IMPACT	IK08
WEIGHT (KG)	2.1
ADJUSTABILITY	0° to 120° swiveling, 360° rotatable
INFORMATION	9 x LENS SP-14° INCL.LED POWER SUPPLY 900mA-DC INCL.BEAM LENS 26° INCL.1 x CABLE H05 RN-F 3 x 1mm ² 2m

Electrical info

ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	non-dimmable
ENERGY CLASS	E
CERTIFICATES	CB, ENEC, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 23,4W / CRI>90 (R9: 64) / 3000K / 2654lm
TM-30 VALUES	Rf: 92 / Rg: 99
SDCM	SDCM3
RISKGROUP	RG2
LM80	L80 > 150000
LED TECHNICS (LIGHT SOURCE)	2654lm // 23,4W // 113lm/W
LED TECHNICS (LUMINAIRE)	1911lm // 27W // 71lm/W

Requirements

FRAX BRACKET
FRAX PIN
FRAX STRAP

Options

FRAX ANTI-VANDAL SCREWS

FRAX MB 93026 N

26010 9360 N

Accessories

FRAX M KAP

For detailed installation instructions, please consult the manual: [26010_XX60_HAND.pdf](#)

FRAX MB 93026 N

26010 9360 N

FINISH YOUR SPECIFICATION

Pins and plates for bollards



26070 0040 FBRX FRAX PIN FBRX

☐


26070 0040 N FRAX PIN N

☐

26070 0040 PGR FRAX PIN PGR

☐

Fixation components



26070 0060 FBRX FRAX BRACKET FBRX

☐


26070 0060 N FRAX BRACKET N

☐

26070 0060 PGR FRAX BRACKET PGR

☐

Light altering devices




26070 0020 N FRAX M KAP N

☐


FRAX MB 93026 N

26010 9360 N

Other



26070 0030 FRAX ANTI VANDAL SCREWS 5 PCS

☐

26070 0050 N FRAX STRAP N

☐

Notes: